

Panasonic

LED

ADORN YOUR LIFE WITH
RIGHT LIGHT



LED LIGHTING
PRICE LIST



PANASONIC LED

**Illumination that
inspires the best in you.**

Light inspires a wide range of emotions. Enriched by a century of experience and relevance, we have created lights that encompass the epic range of human feelings. Our technical expertise gives us an intuitive edge to understand your needs and make products accordingly. So here we are, with world - class LED products crafted with impeccable technical precision and unmatched style that inspire the best in you.

May this illumination inspire you, today and always.



SAFETY



Surge Protection

Panasonic LED's driver has a surge voltage resistance upto 4kV, which protects the luminaire against voltage spikes in electric circuits.



Wide Voltage Range

Wide input voltage range, for LED Bulb: 80-400V, for LED fixtures: 100-300V.

Voltage fluctuations are common in most places in India, so Panasonic LEDs have a wide operating voltage range.



Fire Resistance

Panasonic LEDs use a Class V2 or greater grade material, which does not catch fire. This ensures that the fire does not spread to the other electrical equipment during short circuits.

COMFORT



Low Glare

Glare can lead to discomfort. That's why Panasonic LEDs have a high quality diffuser and smart design for glareless lighting, making them best suited for the home.



Panasonic LED with uniform distribution

Uniform Lighting

Panasonic LEDs have a uniform arrangement of LEDs and use a wide diffuser to ensure uniform lighting.



Other brands' LED with non-uniform distribution


Safety, Comfort and

LONG LIFE



Consistent Light Output

With the UV-Stabilised Polycarbonate Diffuser, light output remains the same for a long time, which also prevents the diffuser from yellowing.



Better Heat Dissipation

High quality housing and design leads to better heat management and maintains 70% of the initial brightness up to 50,000 burning hours.



Heat is drawn away from the light module towards the heat sink, where it dissipates from the fixture.



RoHS
compliant

RoHS - Restriction of Hazardous Substances
like Lead, Cadmium, Mercury, Hexavalent Chromium, PBB, PBDE

Long Life for Generations




INDEX

LED DECORATIVE LIGHT

LED SPOT LIGHT



LED BULB



LED PANEL LIGHT



INDEX

BATTEN

27



FLOOD LIGHT

30



16

DOWNLIGHT



29

STREET LIGHT



Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

LED BULB

DURA SAVER LED BULB - B22



3W	3000K	NA	Ø55x101	315	PBUM36033	105	50	5250
	6500K	NA	Ø55x101	315	PBUM36037	105	50	5250
5W	3000K	NA	Ø55x101	525	PBUM36053	110	50	5500
	6500K	NA	Ø55x101	525	PBUM36057	110	50	5500
7W	3000K	NA	Ø55x101	630	PBUM36073	120	50	6000
	6500K	NA	Ø55x101	630	PBUM36077	120	50	6000
9W	3000K	NA	Ø60x106	810	PBUM36093	140	50	7000
	6500K	NA	Ø60x106	810	PBUM36097	140	50	7000
12W	3000K	NA	Ø60x113	1080	PBUM36123	200	50	10000
	6500K	NA	Ø60x113	1080	PBUM36127R1	195	50	9750

DURA SAVER LED BULB - E27



3W	3000K	NA	Ø55x101	315	PBUM42033	105	50	5250
	6500K	NA	Ø55x101	315	PBUM42037	105	50	5250
5W	3000K	NA	Ø55x101	525	PBUM42053	110	50	5500
	6500K	NA	Ø55x101	525	PBUM42057	110	50	5500
7W	3000K	NA	Ø55x101	630	PBUM42073	120	50	6000
	6500K	NA	Ø55x101	630	PBUM42077	120	50	6000
9W	3000K	NA	Ø60x106	810	PBUM42093	140	50	7000
	6500K	NA	Ø60x106	810	PBUM42097	140	50	7000
12W	3000K	NA	Ø60x113	1080	PBUM42123	200	50	10000
	6500K	NA	Ø60x113	1080	PBUM42127R1	195	50	9750

DURA MAX LED BULB - B22



15W	3000K	NA	Ø65x125	1350	PBUM36153	240	30	7200
	6500K	NA	Ø65x125	1350	PBUM36157R1	235	30	7050
18W	3000K	NA	Ø70x137	1620	PBUM36183	360	30	10800
	6500K	NA	Ø70x137	1620	PBUM36187R1	355	30	10650
23W	3000K	NA	Ø95x175	2070	PBUM36233	520	30	15600
	6500K	NA	Ø95x175	2070	PBUM36237R1	515	30	15450



Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

DURA HYPER LED BULB - B22



30W	3000K	NA	Ø100x150	2700	PBUM36303	700	10	7000
	6500K	NA	Ø100x150	3000	PBUM36307	700	10	7000
40W	3000K	NA	Ø120x165	3600	PBUM36403	900	10	9000
	6500K	NA	Ø120x165	4000	PBUM36407	900	10	9000
50W	3000K	NA	Ø140x190	4500	PBUM36503	1100	10	11000
	6500K	NA	Ø140x190	5000	PBUM36507	1100	10	11000

EMERGENCY BULB



9W	6500K	NA	Ø75x139	900	PBUM13097R1	650	10	6500
12W	6500K	NA	Ø75x139	1200	PBUM13127R1	800	10	8000

RADAR BULB



9W	6500K	NA	Ø60x116	900	PBUM28097R1	700	50	35000
----	-------	----	---------	-----	-------------	-----	----	-------



Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

CANDLE LAMP



4W (B22)	3000K	NA	Ø38x107	360	PBUM43043B22	170	30	5100
	6500K	NA	Ø38x107	360	PBUM43047B22	170	30	5100
4W (E14)	3000K	NA	Ø38x107	360	PBUM43043E14	170	30	5100
	6500K	NA	Ø38x107	360	PBUM43047E14	170	30	5100
4W (E27)	3000K	NA	Ø38x107	360	PBUM43043E27	170	30	5100
	6500K	NA	Ø38x107	360	PBUM43047E27	170	30	5100

CANDLE LAMP - LENS



4W (B22)	3000K	NA	Ø35x105	360	PBUM44043B22	180	30	5400
	6500K	NA	Ø35x105	360	PBUM44047B22	180	30	5400
4W (E14)	3000K	NA	Ø35x105	360	PBUM44043E14	180	30	5400
	6500K	NA	Ø35x105	360	PBUM44047E14	180	30	5400
4W (E27)	3000K	NA	Ø35x105	360	PBUM44043E27	180	30	5400
	6500K	NA	Ø35x105	360	PBUM44047E27	180	30	5400

RGB AUTO COLOUR LED BULB



0.5W	RGB	NA	Ø45x70	NA	PBUM16010	80	60	4800
------	-----	----	--------	----	-----------	----	----	------



Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

COLOUR BULB



5W	Red	NA	Ø50x90	NA	PBUM0105RD	150	50	7500
	Green	NA	Ø50x90	NA	PBUM0105GN	150	50	7500
	Blue	NA	Ø50x90	NA	PBUM0105BU	150	50	7500
	Yellow	NA	Ø50x90	NA	PBUM0105YW	150	50	7500
	Pink	NA	Ø50x90	NA	PBUM0105PN	150	50	7500

NIGHT LAMP




0.5W	Blue	NA	Ø45x70	NA	92853BU	55	60	3300
	Green	NA	Ø45x70	NA	92853GN	55	60	3300
	Orange	NA	Ø45x70	NA	92853OR	55	60	3300
	Red	NA	Ø45x70	NA	92853RD	55	60	3300
	Yellow	NA	Ø45x70	NA	92853YW	55	60	3300
	Pink	NA	Ø45x70	NA	92853PN	55	60	3300
	White	NA	Ø45x70	NA	92853WH	55	60	3300
	Warm White	NA	Ø45x70	NA	92853WW	55	60	3300




Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

LED DECORATIVE


LED STRIP LIGHT IP20 - 60 LED/M

	25W	3000K	NA	5000x8x2	72	PSLM06253	850	10	8500
		4000K	NA	5000x8x2	76	PSLM06254	850	10	8500
		6500K	NA	5000x8x2	80	PSLM06257	850	10	8500
		Red	NA	5000x8x2	NA	PSLM0625R	950	10	9500
		Green	NA	5000x8x2	NA	PSLM0625G	950	10	9500
		Blue	NA	5000x8x2	NA	PSLM0625B	950	10	9500
		Pink	NA	5000x8x2	NA	PSLM0625P	950	10	9500

LED STRIP LIGHT - 120 LED/M AND 240 LED/M

	36W	3000K	NA	5000x8x2	72	PSLM08363	1100	10	11000
		4000K	NA	5000x8x2	76	PSLM08364	1100	10	11000
		6500K	NA	5000x8x2	80	PSLM08367	1100	10	11000
		Red	NA	5000x8x2	NA	PSLM0836R	1100	10	11000
		Green	NA	5000x8x2	NA	PSLM0836G	1100	10	11000
		Blue	NA	5000x8x2	NA	PSLM0836B	1100	10	11000
	60W	Amber	NA	5000x8x2	NA	PSLM0836A	1100	10	11000
		Pink	NA	5000x8x2	NA	PSLM0836P	1100	10	11000
		3000K	NA	5000x8x2	72	PSLM09603	1800	10	18000
		4000K	NA	5000x8x2	76	PSLM09604	1800	10	18000
		6500K	NA	5000x8x2	80	PSLM09607	1800	10	18000
		Red	NA	5000x8x2	NA	PSLM0960R	1800	10	18000
		Green	NA	5000x8x2	NA	PSLM0960G	1800	10	18000
Blue	NA	5000x8x2	NA	PSLM0960B	1800	10	18000		
Amber	NA	5000x8x2	NA	PSLM0960A	1800	10	18000		
Pink	NA	5000x8x2	NA	PSLM0960P	1800	10	18000		

LED STRIP LIGHT IP65 - 60 LED/M

	50W	RGB with Remote	NA	5000x10x2	NA	PSLM06500	2000	10	20000
---	-----	-----------------	----	-----------	----	-----------	------	----	-------



Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

LED ROPE LIGHT - 45 METER




60 LED/m	3000K	NA	45000x10x4	45	PSLM12TU3	7000	1	7000
	4000K	NA	45000x10x4	45	PSLM12TU4	7000	1	7000
	6500K	NA	45000x10x4	45	PSLM12TU7	7000	1	7000
	Red	NA	45000x10x4	NA	PSLM12TUR	7000	1	7000
	Green	NA	45000x10x4	NA	PSLM12TUG	7000	1	7000
	Blue	NA	45000x10x4	NA	PSLM12TUB	7000	1	7000
	Pink	NA	45000x10x4	NA	PSLM12TUP	7000	1	7000
	Amber	NA	45000x10x4	NA	PSLM12TUA	7000	1	7000

MINI ROPE LIGHT - 20 METER



120 LED/m	3000K	NA	20000x10x4	75	PSLM12GH3	4500	1	4500
	4000K	NA	20000x10x4	75	PSLM12GH4	4500	1	4500
	6500K	NA	20000x10x4	75	PSLM12GH7	4500	1	4500
	Red	NA	20000x10x4	NA	PSLM12GHR	4500	1	4500
	Green	NA	20000x10x4	NA	PSLM12GHG	4500	1	4500
	Blue	NA	20000x10x4	NA	PSLM12GHB	4500	1	4500
	Amber	NA	20000x10x4	NA	PSLM12GHA	4500	1	4500
	Pink	NA	20000x10x4	NA	PSLM12GHP	4500	1	4500

LED ROPE LIGHT - 120 LED/MTR & 45 METER



120 LED/m	Tri Colour	NA	18000x11x5	NA	PSLM12ZDTC	4250	1	4250
	3000K	NA	18000x11x5	72	PSLM12ZD3	9000	1	9000
	4000K	NA	18000x11x5	76	PSLM12ZD4	9000	1	9000
	6500K	NA	1800x1.1x0.5	80	PSLM12ZD7	9000	1	9000
	Red	NA	1800x1.1x0.5	NA	PSLM12ZDR	9000	1	9000
	Green	NA	1800x1.1x0.5	NA	PSLM12ZDG	9000	1	9000
	Blue	NA	1800x1.1x0.5	NA	PSLM12ZDB	9000	1	9000
	Amber	NA	1800x1.1x0.5	NA	PSLM12ZDA	9000	1	9000
	Pink	NA	1800x1.1x0.5	NA	PSLM12ZDP	9000	1	9000
	LED Rope Light Accessory Kit (1 Rectifier, 2 End Cap, 3 Clamps)							
NA	NA	NA	NA	NA	PSL0S0012R1	500	20	10000



Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

DECOFANCY STRING LIGHT



46 LED/ 10m	Red	NA	10000	NA	PLLM0103R	460	20	9200
	Green	NA	10000	NA	PLLM0103G	460	20	9200
	Blue	NA	10000	NA	PLLM0103B	460	20	9200
	Pink	NA	10000	NA	PLLM0103P	460	20	9200
	Yellow	NA	10000	NA	PLLM0103Y	460	20	9200
	White	NA	10000	NA	PLLM0103W	460	20	9200

UP DOWN LIGHT



6W	3000K	NA	80x80x63	420	PUDM01063	1300	10	13000
	4000K	NA	80x80x63	450	PUDM01064	1300	10	13000
	6500K	NA	80x80x63	480	PUDM01067	1300	10	13000
12W	3000K	NA	145x80x63	840	PUDM01123	1400	10	14000
	4000K	NA	145x80x63	900	PUDM01124	1400	10	14000
	6500K	NA	145x80x63	960	PUDM01127	1400	10	14000

DYNA WALL LIGHT



6W	3000K	NA	103.4x85.7x34.1	420	PUDM02063	1000	10	10000
	4000K	NA	103.4x85.7x34.1	450	PUDM02064	1000	10	10000
	6500K	NA	103.4x85.7x34.1	480	PUDM02067	1000	10	10000
12W	3000K	NA	123.5x103.5x34	840	PUDM02123	1000	10	10000
	4000K	NA	123.5x103.5x34	900	PUDM02124	1000	10	10000
	6500K	NA	123.5x103.5x34	960	PUDM02127	1000	10	10000



Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

LED PANEL LIGHT

LED STEP PANEL LIGHT - CIRCULAR



3W	3000K	Ø75	Ø85x25	135	PPAM11033R2	600	10	6000
	4000K	Ø75	Ø85x25	150	PPAM11034R2	600	10	6000
	6500K	Ø75	Ø85x25	150	PPAM11037R2	600	10	6000
5W	3000K	Ø108	Ø120x25	260	PPAM11053R2	700	10	7000
	4000K	Ø108	Ø120x25	270	PPAM11054R2	700	10	7000
	6500K	Ø108	Ø120x25	275	PPAM11057R2	700	10	7000
10W	3000K	Ø132	Ø145x25	670	PPAM11103R2	900	10	9000
	4000K	Ø132	Ø145x25	700	PPAM11104R2	900	10	9000
	6500K	Ø132	Ø145x25	700	PPAM11107R2	900	10	9000
15W	3000K	Ø156	Ø170x25	1000	PPAM11153R2	1000	10	10000
	4000K	Ø156	Ø170x25	1050	PPAM11154R2	1000	10	10000
	6500K	Ø156	Ø170x25	1050	PPAM11157R2	1000	10	10000
20W	3000K	Ø177	Ø190x25	1340	PPAM11203R2	1200	10	12000
	4000K	Ø177	Ø190x25	1400	PPAM11204R2	1200	10	12000
	6500K	Ø177	Ø190x25	1400	PPAM11207R2	1200	10	12000
24W	3000K	Ø204	Ø220x25	1584	PPAM11243R2	1600	10	16000
	4000K	Ø204	Ø220x25	1632	PPAM11244R2	1600	10	16000
	6500K	Ø204	Ø220x25	1680	PPAM11247R2	1600	10	16000

LED STEP PANEL LIGHT - SQUARE



3W	3000K	75x75	85x85x25	135	PPAM12033R2	600	10	6000
	4000K	75x75	85x85x25	150	PPAM12034R2	600	10	6000
	6500K	75x75	85x85x25	150	PPAM12037R2	600	10	6000
5W	3000K	108x108	120x120x25	260	PPAM12053R2	700	10	7000
	4000K	108x108	120x120x25	270	PPAM12054R2	700	10	7000
	6500K	108x108	120x120x25	275	PPAM12057R2	700	10	7000
10W	3000K	132x132	145x145x25	670	PPAM12103R2	900	10	9000
	4000K	132x132	145x145x25	700	PPAM12104R2	900	10	9000
	6500K	132x132	145x145x25	700	PPAM12107R2	900	10	9000



Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

LED STEP PANEL LIGHT - SQUARE



15W	3000K	156x156	170x170x25	1000	PPAM12153R2	1000	10	10000
	4000K	156x156	170x170x25	1050	PPAM12154R2	1000	10	10000
	6500K	156x156	170x170x25	1050	PPAM12157R2	1000	10	10000
20W	3000K	177x177	190x190x25	1340	PPAM12203R2	1200	10	12000
	4000K	177x177	190x190x25	1400	PPAM12204R2	1200	10	12000
	6500K	177x177	190x190x25	1400	PPAM12207R2	1200	10	12000
24W	3000K	204x204	220x220x25	1584	PPAM12243R2	1600	10	16000
	4000K	204x204	220x220x25	1632	PPAM12244R2	1600	10	16000
	6500K	204x204	220x220x25	1680	PPAM12247R2	1600	10	16000

MATIZ : COLOUR LED PANEL (MULTI COLOUR IN 1 LIGHT) - CIRCULAR



6W	CW And Red	Ø104	Ø147x34	NA	PPAM28067R	600	40	24000
	CW And Green	Ø104	Ø147x34	NA	PPAM28067G	600	40	24000
	CW And Blue	Ø104	Ø147x34	NA	PPAM28067B	600	40	24000
	CW And Pink	Ø104	Ø147x34	NA	PPAM28067P	600	40	24000
	CW And RGB	Ø104	Ø147x34	NA	PPAM28067RGB	600	40	24000
	CW And PGB	Ø104	Ø147x34	NA	PPAM28067PGB	600	40	24000

MATIZ : COLOUR LED PANEL (MULTI COLOUR IN 1 LIGHT) - SQUARE



6W	CW And Red	104x104	147x147x34	NA	PPAM29067R	600	40	24000
	CW And Green	104x104	147x147x34	NA	PPAM29067G	600	40	24000
	CW And Blue	104x104	147x147x34	NA	PPAM29067B	600	40	24000
	CW And Pink	104x104	147x147x34	NA	PPAM29067P	600	40	24000
	CW And RGB	104x104	147x147x34	NA	PPAM29067RGB	600	40	24000
	CW And PGB	104x104	147x147x34	NA	PPAM29067PGB	600	40	24000



Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

PC PANEL LIGHT WITH INTEGRATED DRIVER - CIRCULAR



3W	3000K	Ø68	Ø86x20	180	PPAM22033	300	20	6000
	4000K	Ø68	Ø86x20	186	PPAM22034	300	20	6000
	6500K	Ø68	Ø86x20	240	PPAM22037	300	20	6000
6W	3000K	Ø97	Ø120x20	370	PPAM22063	400	20	8000
	4000K	Ø97	Ø120x20	390	PPAM22064	400	20	8000
	6500K	Ø97	Ø120x20	510	PPAM22067	400	20	8000
10W	3000K	Ø129	Ø144x20	700	PPAM22103	600	20	12000
	4000K	Ø129	Ø144x20	720	PPAM22104	600	20	12000
	6500K	Ø129	Ø144x20	850	PPAM22107	600	20	12000
15W	3000K	Ø145	Ø170x20	1050	PPAM22153	700	10	7000
	4000K	Ø145	Ø170x20	1080	PPAM22154	700	10	7000
	6500K	Ø145	Ø170x20	1350	PPAM22157	700	10	7000
20W	3000K	Ø195	Ø220x20	1400	PPAM22203	900	10	9000
	4000K	Ø195	Ø220x20	1440	PPAM22204	900	10	9000
	6500K	Ø195	Ø220x20	1800	PPAM22207	900	10	9000

PC PANEL LIGHT WITH INTEGRATED DRIVER - SQUARE



3W	3000K	6.8x6.8	86x86x20	180	PPAM23033	300	20	6000
	4000K	6.8x6.8	86x86x20	186	PPAM23034	300	20	6000
	6500K	6.8x6.8	86x86x20	240	PPAM23037	300	20	6000
6W	3000K	9.7x9.7	120x120x20	370	PPAM23063	400	20	8000
	4000K	9.7x9.7	120x120x20	390	PPAM23064	400	20	8000
	6500K	9.7x9.7	120x120x20	510	PPAM23067	400	20	8000
10W	3000K	12.9x12.9	144x144x20	700	PPAM23103	600	20	12000
	4000K	12.9x12.9	144x144x20	720	PPAM23104	600	20	12000
	6500K	12.9x12.9	144x144x20	850	PPAM23107	600	20	12000
15W	3000K	14.5x14.5	170x170x20	1050	PPAM23153	700	10	7000
	4000K	14.5x14.5	170x170x20	1080	PPAM23154	700	10	7000
	6500K	14.5x14.5	170x170x20	1350	PPAM23157	700	10	7000
20W	3000K	19.5x19.5	220x220x20	1400	PPAM23203	900	10	9000
	4000K	19.5x19.5	220x220x20	1440	PPAM23204	900	10	9000
	6500K	19.5x19.5	220x220x20	1800	PPAM23207	900	10	9000



Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

BASE LIGHT 1x1



24W	6500K	280x280	295x295x30	1920	PBLM13247R2	1500	6	9000
-----	-------	---------	------------	------	-------------	------	---	------

BASE LIGHT



36W	3000K	565x565	595x595x30	3240	PBLM13363R2	3300	4	13200
	4000K	565x565	595x595x30	3420	PBLM13364R2	3300	4	13200
	6500K	565x565	595x595x30	3600	PBLM13367R2	3300	4	13200
40W	3000K	565x565	595x595x30	3600	PBLM13403R2	3500	4	13200
	4000K	565x565	595x595x30	3800	PBLM13404R2	3500	4	13200
	6500K	565x565	595x595x30	4000	PBLM13407R2	3500	4	13200

LED RIMLESS SURFACE PANEL - CIRCULAR



6W	3000K	NA	Ø100x31	540	PPAM16063R1	550	20	11000
	4000K	NA	Ø100x31	570	PPAM16064R1	550	20	11000
	6500K	NA	Ø100x31	600	PPAM16067R1	550	20	11000
12W	3000K	NA	Ø125x31	1080	PPAM16123R1	850	20	17000
	4000K	NA	Ø125x31	1140	PPAM16124R1	850	20	17000
	6500K	NA	Ø125x31	1200	PPAM16127R1	850	20	17000
18W	3000K	NA	Ø150x31	1620	PPAM16183R1	1150	20	23000
	4000K	NA	Ø150x31	1710	PPAM16184R1	1150	20	23000
	6500K	NA	Ø150x31	1800	PPAM16187R1	1150	20	23000
24W	3000K	NA	Ø200x31	2160	PPAM16243R1	1550	20	31000
	4000K	NA	Ø200x31	2280	PPAM16244R1	1550	20	31000
	6500K	NA	Ø200x31	2400	PPAM16247R1	1550	20	31000



Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

LED RIMLESS SURFACE PANEL - SQUARE



6W	3000K	NA	100x100x31	540	PPAM17063R1	550	20	11000
	4000K	NA	100x100x31	570	PPAM17064R1	550	20	11000
	6500K	NA	100x100x31	600	PPAM17067R1	550	20	11000
12W	3000K	NA	125x125x31	1080	PPAM17123R1	850	20	17000
	4000K	NA	125x125x31	1140	PPAM17124R1	850	20	17000
	6500K	NA	125x125x31	1200	PPAM17127R1	850	20	17000
18W	3000K	NA	150x150x31	1620	PPAM17183R1	1150	20	23000
	4000K	NA	150x150x31	1710	PPAM17184R1	1150	20	23000
	6500K	NA	150x150x31	1800	PPAM17187R1	1150	20	23000
24W	3000K	NA	200x200x31	2160	PPAM17243R1	1550	20	31000
	4000K	NA	200x200x31	2280	PPAM17244R1	1550	20	31000
	6500K	NA	200x200x31	2400	PPAM17247R1	1550	20	31000

LED RIMLESS SURFACE TRI CCT PANEL - ROUND



6W	Tri CCT	NA	Ø100x31	NA	PPAM1606CNW	750	20	15000
12W	Tri CCT	NA	Ø125x31	NA	PPAM1612CNW	1050	20	21000
18W	Tri CCT	NA	Ø150x31	NA	PPAM1618CNW	1350	20	27000

LED RIMLESS SURFACE TRI CCT PANEL - SQUARE



6W	Tri CCT	NA	100x100x31	NA	PPAM1706CNW	750	20	15000
12W	Tri CCT	NA	125x125x31	NA	PPAM1712CNW	1050	20	21000
18W	Tri CCT	NA	150x150x31	NA	PPAM1718CNW	1350	20	27000




Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

PC FRAME - CIRCULAR



5W/10W	NA	NA	Ø117x36	NA	PFMM06050	180	10	1800
15W	NA	NA	Ø167x36	NA	PFMM06150	250	10	2500

PC FRAME - SQUARE



5W/10	NA	NA	117x117x36	NA	PFMM07050	180	10	1800
15W	NA	NA	167x167x36	NA	PFMM07150	250	10	2500

PC PANEL LIGHT FRAME - CIRCULAR



6W	NA	NA	Ø152x32	NA	PFMM08060	200	10	2000
15W	NA	NA	Ø200x32	NA	PFMM08150	250	10	2500
20W	NA	NA	Ø255x32	NA	PFMM08200	300	10	3000

PC PANEL LIGHT FRAME - SQUARE



6W	NA	NA	152x152x32	NA	PFMM09060	200	10	2000
15W	NA	NA	200x200x32	NA	PFMM09150	250	10	2500
20W	NA	NA	254x254x32	NA	PFMM09200	300	10	3000



Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

LED SPOT LIGHT

SPOT LIGHT




2W	2700K	Ø35	Ø42x18.5	NA	ASP020022	370	50	18500
	6000K	Ø35	Ø42x18.5	NA	ASP020026	370	50	18500
	3000K	Ø35	Ø42x18.5	108	PSPM01023R1	180	50	9000
	6500K	Ø35	Ø42x18.5	120	PSPM01027R1	180	50	9000
	Red	Ø35	Ø42x18.5	NA	PSPM0102RR1	180	50	9000
	Green	Ø35	Ø42x18.5	NA	PSPM0102GR1	180	50	9000
	Blue	Ø35	Ø42x18.5	NA	PSPM0102BR1	180	50	9000
	Pink	Ø35	Ø42x18.5	NA	PSPM0102PR1	180	50	9000

SURFACE SPOT LIGHT



10W	3000K	NA	Ø50x160	600	PSPM02103	1800	10	18000
	4000K	NA	Ø50x160	650	PSPM02104	1800	10	18000
	6500K	NA	Ø50x160	700	PSPM02107	1800	10	18000
15W	3000K	NA	Ø65x195	1050	PSPM02153	2600	10	26000
	4000K	NA	Ø65x195	1125	PSPM02154	2600	10	26000
	6500K	NA	Ø65x195	1200	PSPM02157	2600	10	26000
20W	3000K	NA	Ø75x215	1400	PSPM02203	3000	10	30000
	4000K	NA	Ø75x215	1500	PSPM02204	3000	10	30000
	6500K	NA	Ø75x215	1600	PSPM02207	3000	10	30000

SURFACE SPOT LIGHT



10W	3000K	NA	Ø97x180	600	PSPM03103	1900	10	19000
	4000K	NA	Ø97x180	650	PSPM03104	1900	10	19000
	6500K	NA	Ø97x180	700	PSPM03107	1900	10	19000
15W	3000K	NA	Ø97x208	1050	PSPM03153	2500	10	25000
	4000K	NA	Ø97x208	1125	PSPM03154	2500	10	25000
	6500K	NA	Ø97x208	1200	PSPM03157	2500	10	25000
20W	3000K	NA	Ø97x230	1400	PSPM03203	3200	10	32000
	4000K	NA	Ø97x230	1500	PSPM03204	3200	10	32000
	6500K	NA	Ø97x230	1600	PSPM03207	3200	10	32000



Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

LED DOWNLIGHT

CONCEALED DOWNLIGHT



5W	3000K	Ø75	Ø110x55	360	PDLM15053R1	400	20	8000
	4000K	Ø75	Ø110x55	380	PDLM15054R1	400	20	8000
	6500K	Ø75	Ø110x55	400	PDLM15057R1	400	20	8000
	Red	Ø75	Ø110x55	NA	PDLM1505RR1	400	20	8000
	Green	Ø75	Ø110x55	NA	PDLM1505GR1	400	20	8000
	Blue	Ø75	Ø110x55	NA	PDLM1505BR1	400	20	8000
	Pink	Ø75	Ø110x55	NA	PDLM1505PR1	400	20	8000
7W	3000K	Ø85	Ø105x60	504	PDLM15073R1	450	20	9000
	4000K	Ø85	Ø105x60	532	PDLM15074R1	450	20	9000
	6500K	Ø85	Ø105x60	560	PDLM15077R1	450	20	9000
	Red	Ø85	Ø105x60	NA	PDLM1507RR1	450	20	9000
	Green	Ø85	Ø105x60	NA	PDLM1507GR1	450	20	9000
	Blue	Ø85	Ø105x60	NA	PDLM1507BR1	450	20	9000
	Pink	Ø85	Ø105x60	NA	PDLM1507PR1	450	20	9000
9W	3000K	Ø85	Ø105x60	648	PDLM15093R1	575	20	11500
	4000K	Ø85	Ø105x60	684	PDLM15094R1	575	20	11500
	6500K	Ø85	Ø105x60	720	PDLM15097R1	575	20	11500
	Red	Ø85	Ø105x60	NA	PDLM1509RR1	575	20	11500
	Green	Ø85	Ø105x60	NA	PDLM1509GR1	575	20	11500
	Blue	Ø85	Ø105x60	NA	PDLM1509BR1	575	20	11500
	Pink	Ø85	Ø105x60	NA	PDLM1509PR1	575	20	11500

SLIM CONCEAL DOWNLIGHT



5W	3000K	Ø85	Ø109x25	375	PDLM34053	380	20	7600
	4000K	Ø85	Ø109x25	380	PDLM34054	380	20	7600
	6500K	Ø85	Ø109x25	400	PDLM34057	380	20	7600
	Red	Ø85	Ø109x25	NA	PDLM3405R	380	20	7600
	Green	Ø85	Ø109x25	NA	PDLM3405G	380	20	7600
	Blue	Ø85	Ø109x25	NA	PDLM3405B	380	20	7600
	Pink	Ø85	Ø109x25	NA	PDLM3405P	380	20	7600



Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

SLIM CONCEAL DOWNLIGHT



7W	3000K	Ø85	Ø109x25	504	PDLM34073	400	20	8000
	4000K	Ø85	Ø109x25	532	PDLM34074	400	20	8000
	6500K	Ø85	Ø109x25	560	PDLM34077	400	20	8000
	Red	Ø85	Ø109x25	NA	PDLM3407R	400	20	8000
	Green	Ø85	Ø109x25	NA	PDLM3407G	400	20	8000
	Blue	Ø85	Ø109x25	NA	PDLM3407B	400	20	8000
	Pink	Ø85	Ø109x25	NA	PDLM3407P	400	20	8000
9W	3000K	Ø85	Ø109x25	648	PDLM34093	430	20	8600
	4000K	Ø85	Ø109x25	684	PDLM34094	430	20	8600
	6500K	Ø85	Ø109x25	720	PDLM34097	430	20	8600
	Red	Ø85	Ø109x25	NA	PDLM3409R	430	20	8600
	Green	Ø85	Ø109x25	NA	PDLM3409G	430	20	8600
	Blue	Ø85	Ø109x25	NA	PDLM3409B	430	20	8600
	Pink	Ø85	Ø109x25	NA	PDLM3409P	430	20	8600

TRI CCT CONCEALED DOWN LIGHT



5W	C+N+W	Ø85	Ø109x25	NA	PDLM3405CNW	480	20	9600
7W	C+N+W	Ø85	Ø109x25	NA	PDLM3407CNW	500	20	10000
9W	C+N+W	Ø85	Ø109x25	NA	PDLM3409CNW	550	20	11000

TRI COLOUR CONCEAL BOX DOWN LIGHT



5W	Red+Blue+Violet	Ø75	Ø110x55	NA	PDLM1505RBU	450	20	9000
5W	6500K+Red+Pink	Ø75	Ø110x55	NA	PDLM15057RD	450	20	9000



Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

DEEP JUNCTION



3W	3000K	Ø58	Ø80x32	210	PDLM16033R2	265	50	13250
	6500K	Ø58	Ø80x32	225	PDLM16037R2	265	50	13250
	Red	Ø58	Ø80x32	NA	PDLM1603RR2	265	50	13250
	Green	Ø58	Ø80x32	NA	PDLM1603GR2	265	50	13250
	Blue	Ø58	Ø80x32	NA	PDLM1603BR2	265	50	13250
	Pink	Ø58	Ø80x32	NA	PDLM1603PR2	265	50	13250

LED DEEP JUNCTION



8W	3000K	Ø50	Ø84x66	720	PDLM16083	400	20	8000
	6500K	Ø50	Ø84x66	800	PDLM16087	400	20	8000
	Red	Ø50	Ø84x66	NA	PDLM1608R	400	20	8000
	Green	Ø50	Ø84x66	NA	PDLM1608G	400	20	8000
	Blue	Ø50	Ø84x66	NA	PDLM1608B	400	20	8000
	Pink	Ø50	Ø84x66	NA	PDLM1608P	400	20	8000
12W	3000K	Ø50	Ø140x68	1080	PDLM16123	600	20	12000
	6500K	Ø50	Ø140x68	1200	PDLM16127	600	20	12000
	Red	Ø50	Ø140x68	NA	PDLM1612R	600	20	12000
	Green	Ø50	Ø140x68	NA	PDLM1612G	600	20	12000
	Blue	Ø50	Ø140x68	NA	PDLM1612B	600	20	12000
	Pink	Ø50	Ø140x68	NA	PDLM1612P	600	20	12000
15W	3000K	Ø50	Ø140x68	1350	PDLM16153	650	20	13000
	6500K	Ø50	Ø140x68	1500	PDLM16157	650	20	13000
	Red	Ø50	Ø140x68	NA	PDLM1615R	650	20	13000
	Green	Ø50	Ø140x68	NA	PDLM1615G	650	20	13000
	Blue	Ø50	Ø140x68	NA	PDLM1615B	650	20	13000
	Pink	Ø50	Ø140x68	NA	PDLM1615P	650	20	13000




Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

DEEP DOWN LIGHT



6W	3000K	Ø105	Ø125x50	70	PDLM47063	520	20	10400
	4000K	Ø105	Ø125x50	75	PDLM47064	520	20	10400
	6500K	Ø105	Ø125x50	80	PDLM47067	520	20	10400
12W	3000K	Ø105	Ø125x50	70	PDLM47123	640	20	12800
	4000K	Ø105	Ø125x50	75	PDLM47124	640	20	12800
	6500K	Ø105	Ø125x50	80	PDLM47127	640	20	12800
18W	3000K	Ø125	Ø155x50	80	PDLM47183	820	20	16400
	4000K	Ø125	Ø155x50	85	PDLM47184	820	20	16400
	6500K	Ø125	Ø155x50	90	PDLM47187	820	20	16400
24W	3000K	Ø155	Ø175x50	80	PDLM47243	1100	20	22000
	4000K	Ø155	Ø175x50	85	PDLM47244	1100	20	22000
	6500K	Ø155	Ø175x50	90	PDLM47247	1100	20	22000

ALUMINIUM SWIVEL DOWN LIGHT



3W	3000K	Ø55	Ø63x43	240	PDLM33033	700	20	14000
	4000K	Ø55	Ø63x43	255	PDLM33034	700	20	14000
	6500K	Ø55	Ø63x43	270	PDLM33037	700	20	14000
7W	3000K	Ø70	Ø87x56	560	PDLM33073	900	20	18000
	4000K	Ø70	Ø87x56	595	PDLM33074	900	20	18000
	6500K	Ø70	Ø87x56	630	PDLM33077	900	20	18000
12W	3000K	Ø85	Ø100x71	960	PDLM33123	1200	10	12000
	4000K	Ø85	Ø100x71	1020	PDLM33124	1200	10	12000
	6500K	Ø85	Ø100x71	1080	PDLM33127	1200	10	12000
15W	3000K	Ø85	Ø100x71	1200	PDLM33153	1400	10	14000
	4000K	Ø85	Ø100x71	1275	PDLM33154	1400	10	14000
	6500K	Ø85	Ø100x71	1350	PDLM33157	1400	10	14000
18W	3000K	Ø95	Ø115x72	1440	PDLM33183	1600	10	16000
	4000K	Ø95	Ø115x72	1530	PDLM33184	1600	10	16000
	6500K	Ø95	Ø115x72	1620	PDLM33187	1600	10	16000
24W	3000K	Ø125	Ø135x85	1920	PDLM33243	1900	10	19000
	4000K	Ø125	Ø135x85	2040	PDLM33244	1900	10	19000
	6500K	Ø125	Ø135x85	2160	PDLM33247	1900	10	19000



Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

PC SWIVEL DOWN LIGHT




3W	3000K	Ø57	Ø74x45	195	PDLM40033	400	20	8000
	4000K	Ø57	Ø74x45	195	PDLM40034	400	20	8000
	6500K	Ø57	Ø74x45	210	PDLM40037	400	20	8000
6W	3000K	Ø72	Ø95x42	390	PDLM40063	550	20	11000
	4000K	Ø72	Ø95x42	390	PDLM40064	550	20	11000
	6500K	Ø72	Ø95x42	420	PDLM40067	550	20	11000
9W	3000K	Ø91	Ø116x56	648	PDLM40093	650	20	13000
	4000K	Ø91	Ø116x56	648	PDLM40094	650	20	13000
	6500K	Ø91	Ø116x56	720	PDLM40093	650	20	13000
12W	3000K	Ø117	Ø139x57	864	PDLM40123	850	20	17000
	6500K	Ø117	Ø139x57	960	PDLM40127	850	20	17000

DEEP RECESSED COB DOWN LIGHT - WHITE



7W	3000K	Ø56	Ø65x54	480	PDLM42073	1100	10	11000
	4000K	Ø56	Ø65x54	525	PDLM42074	1100	10	11000
	6500K	Ø56	Ø65x54	560	PDLM42077	1100	10	11000
12W	3000K	Ø70	Ø80x75	840	PDLM42123	1500	10	15000
	4000K	Ø70	Ø80x75	900	PDLM42124	1500	10	15000
	6500K	Ø70	Ø80x75	960	PDLM42127	1500	10	15000
18W	3000K	Ø85	Ø93x95	1260	PDLM42183	2100	10	21000
	4000K	Ø85	Ø93x95	1350	PDLM42184	2100	10	21000
	6500K	Ø85	Ø93x95	1440	PDLM42187	2100	10	21000

DEEP RECESSED COB DOWN LIGHT - ROSE GOLD



7W	3000K	Ø56	Ø65x54	480	PDLM43073	1100	10	11000
	4000K	Ø56	Ø65x54	525	PDLM43074	1100	10	11000
	6500K	Ø56	Ø65x54	560	PDLM43077	1100	10	11000
12W	3000K	Ø70	Ø80x75	840	PDLM43123	1500	10	15000
	4000K	Ø70	Ø80x75	900	PDLM43124	1500	10	15000
	6500K	Ø70	Ø80x75	960	PDLM43127	1500	10	15000
18W	3000K	Ø85	Ø93x95	1260	PDLM43183	2100	10	21000
	4000K	Ø85	Ø93x95	1350	PDLM43184	2100	10	21000
	6500K	Ø85	Ø93x95	1440	PDLM43187	2100	10	21000




Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

DEEP RECESSED COB DOWN LIGHT - GUN BLACK




7W	3000K	Ø56	Ø65x54	480	PDLM44073	1100	10	11000
	4000K	Ø56	Ø65x54	525	PDLM44074	1100	10	11000
	6500K	Ø56	Ø65x54	560	PDLM44077	1100	10	11000
12W	3000K	Ø70	Ø80x75	840	PDLM44123	1500	10	15000
	4000K	Ø70	Ø80x75	900	PDLM44124	1500	10	15000
	6500K	Ø70	Ø80x75	960	PDLM44127	1500	10	15000
18W	3000K	Ø85	Ø93x95	1260	PDLM44183	2100	10	21000
	4000K	Ø85	Ø93x95	1350	PDLM44184	2100	10	21000
	6500K	Ø85	Ø93x95	1440	PDLM44187	2100	10	21000

DEEP RECESSED COB DOWN LIGHT - YELLOW GOLD



7W	3000K	Ø56	Ø65x54	480	PDLM45073	1100	10	11000
	4000K	Ø56	Ø65x54	525	PDLM45074	1100	10	11000
	6500K	Ø56	Ø65x54	560	PDLM45077	1100	10	11000
12W	3000K	Ø70	Ø80x75	840	PDLM45123	1500	10	15000
	4000K	Ø70	Ø80x75	900	PDLM45124	1500	10	15000
	6500K	Ø70	Ø80x75	960	PDLM45127	1500	10	15000
18W	3000K	Ø85	Ø93x95	1260	PDLM45183	2100	10	21000
	4000K	Ø85	Ø93x95	1350	PDLM45184	2100	10	21000
	6500K	Ø85	Ø93x95	1440	PDLM45187	2100	10	21000

MINI SURFACE DOWN LIGHT



3W	3000K	NA	Ø60x16.5	150	PDLM28033R1	199	50	9950
	6500K	NA	Ø60x16.5	165	PDLM28037R1	199	50	9950
	Red	NA	Ø60x16.5	NA	PDLM2803RR1	199	50	9950
	Green	NA	Ø60x16.5	NA	PDLM2803GR1	199	50	9950
	Blue	NA	Ø60x16.5	NA	PDLM2803BR1	199	50	9950
	Pink	NA	Ø60x16.5	NA	PDLM2803PR1	199	50	9950



Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

MINI SURFACE DOWN LIGHT



5W	3000K	NA	Ø61x16	405	PDLM28053	250	40	10000
	6500K	NA	Ø61x16	450	PDLM28057	250	40	10000
	Red	NA	Ø61x16	NA	PDLM2805R	250	40	10000
	Green	NA	Ø61x16	NA	PDLM2805G	250	40	10000
	Blue	NA	Ø61x16	NA	PDLM2805B	250	40	10000

DUAL COLOUR - JUNCTION BOX



7W	CW+WW	Ø50	Ø84x46	NA	PDLM17077WW	450	20	9000
	CW+Blue	Ø50	Ø84x46	NA	PDLM17077BU	450	20	9000
12W	CW+WW	Ø76	Ø133x70	NA	PDLM17127WW	700	20	14000
	CW+Blue	Ø76	Ø133x70	NA	PDLM17127BU	700	20	14000
	CW+Pink	Ø76	Ø133x70	NA	PDLM17127PN	700	20	14000
	CW+Red	Ø76	Ø133x70	NA	PDLM17127RD	700	20	14000
	CW+Green	Ø76	Ø133x70	NA	PDLM17127GN	700	20	14000

CONCEALED DOWN LIGHT FOR JUNCTION BOX



5W	3000K	Ø76	Ø95x27	350	PDLM41053R1	400	20	8000
	4000K	Ø76	Ø95x27	375	PDLM41053R1	400	20	8000
	6500K	Ø76	Ø95x27	400	PDLM41057R1	400	20	8000
10W	3000K	Ø105	Ø129x27	700	PDLM41103	500	20	10000
	4000K	Ø105	Ø129x27	750	PDLM41104	500	20	10000
	6500K	Ø105	Ø129x27	800	PDLM41107	500	20	10000
15W	3000K	Ø132.5	Ø158x27	1050	PDLM41153R1	600	20	12000
	4000K	Ø132.5	Ø158x27	1125	PDLM41157R1	600	20	12000
	6500K	Ø132.5	Ø158x27	1200	PDLM41157R1	600	20	12000



Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

MODULAR SURFACE DOWN LIGHT



7W	3000K	NA	Ø85x48	630	PDLM22073	650	10	6500
	4000K	NA	Ø85x48	665	PDLM22074	650	10	6500
	6500K	NA	Ø85x48	700	PDLM22077	650	10	6500
9W	3000K	NA	Ø110x48	810	PDLM22093	750	10	7500
	4000K	NA	Ø110x48	855	PDLM22094	750	10	7500
	6500K	NA	Ø110x48	900	PDLM22097	750	10	7500
	Red	NA	Ø110x48	NA	PDLM2209R	750	10	7500
	Green	NA	Ø110x48	NA	PDLM2209G	750	10	7500
	Blue	NA	Ø110x48	NA	PDLM2209B	750	10	7500
	Pink	NA	Ø110x48	NA	PDLM2209P	750	10	7500
15W	3000K	NA	Ø135x48	1350	PDLM22153	950	10	9500
	4000K	NA	Ø135x48	1425	PDLM22154	950	10	9500
	6500K	NA	Ø135x48	1500	PDLM22157	950	10	9500

PC DOWN LIGHT - CIRCULAR



5W	3000K	Ø100	Ø116x36	380	PDLM01053R2	400	10	4000
	4000K	Ø100	Ø116x36	392	PDLM01054R2	400	10	4000
	6500K	Ø100	Ø116x36	400	PDLM01057R2	400	10	4000
10W	3000K	Ø100	Ø116x36	770	PDLM01103R2	500	10	5000
	4000K	Ø100	Ø116x36	805	PDLM01104R2	500	10	5000
	6500K	Ø100	Ø116x36	850	PDLM01107R2	500	10	5000
15W	3000K	Ø150	Ø166x36	1350	PDLM01153R2	650	10	6500
	4000K	Ø150	Ø166x36	1425	PDLM01154R2	650	10	6500
	6500K	Ø150	Ø166x36	1500	PDLM01157R2	650	10	6500
20W	3000K	Ø205	Ø220x36	1800	PDLM01203R2	850	10	8500
	4000K	Ø205	Ø220x36	1900	PDLM01204R2	850	10	8500
	6500K	Ø205	Ø220x36	2000	PDLM01207R2	850	10	8500



Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

PC DOWN LIGHT - SQUARE



5W	3000K	100x100	116x116x36	380	PDLM02053R2	400	10	4000
	4000K	100x100	116x116x36	392	PDLM02054R2	400	10	4000
	6500K	100x100	116x116x36	400	PDLM02057R2	400	10	4000
10W	3000K	100x100	116x116x36	770	PDLM02103R2	500	10	5000
	4000K	100x100	116x116x36	805	PDLM02104R2	500	10	5000
	6500K	100x100	116x116x36	850	PDLM02107R2	500	10	5000
15W	3000K	150x150	166x166x36	1350	PDLM02153R2	650	10	6500
	4000K	150x150	166x166x36	1425	PDLM02154R2	650	10	6500
	6500K	150x150	166x166x36	1500	PDLM02157R2	650	10	6500
20W	3000K	205x205	220x220x36	1800	PDLM02203R2	850	10	8500
	4000K	205x205	220x220x36	1900	PDLM02204R2	850	10	8500
	6500K	205x205	220x220x36	2000	PDLM02207R2	850	10	8500

PDL HYBRID ANORASLIM - CIRCULAR



5W	3000K	Ø100	Ø116x27	380	PDLM01053R3	400	10	4000
	4000K	Ø100	Ø116x27	392	PDLM01054R3	400	10	4000
	6500K	Ø100	Ø116x27	400	PDLM01057R3	400	10	4000
10W	3000K	Ø100	Ø116x27	770	PDLM01103R3	500	20	10000
	4000K	Ø100	Ø116x27	805	PDLM01104R3	500	20	10000
	6500K	Ø100	Ø116x27	850	PDLM01107R3	500	20	10000
12W	3000K	Ø130	Ø145x26	960	PDLM01123R3	550	20	11000
	4000K	Ø130	Ø145x26	1020	PDLM01124R3	550	20	11000
	6500K	Ø130	Ø145x26	1080	PDLM01127R3	550	20	11000
15W	3000K	Ø150	Ø165x28	1350	PDLM01153R3	650	10	6500
	4000K	Ø150	Ø165x28	1425	PDLM01154R3	650	10	6500
	6500K	Ø150	Ø165x28	1500	PDLM01157R3	650	10	6500
20W	3000K	Ø205	Ø220x28	1800	PDLM01203R3	950	10	9500
	4000K	Ø205	Ø220x28	1900	PDLM01204R3	950	10	9500
	6500K	Ø205	Ø220x28	2000	PDLM01207R3	950	10	9500



Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

PDL HYBRID ANORASLIM - SQUARE



5W	3000K	100x100	116x116x27	380	PDLM02053R3	400	10	4000
	4000K	100x100	116x116x27	392	PDLM02054R3	400	10	4000
	6500K	100x100	116x116x27	400	PDLM02057R3	400	10	4000
10W	3000K	100x100	116x116x27	770	PDLM02103R3	500	20	10000
	4000K	100x100	116x116x27	805	PDLM02104R3	500	20	10000
	6500K	100x100	116x116x27	850	PDLM02107R3	500	20	10000
12W	3000K	130x130	145x145x26	960	PDLM02123R3	550	20	11000
	4000K	130x130	145x145x26	1020	PDLM02124R3	550	20	11000
	6500K	130x130	145x145x26	1080	PDLM02127R3	550	20	11000
15W	3000K	150x150	166x166x28	1350	PDLM02153R3	650	10	6500
	4000K	150x150	166x166x28	1425	PDLM02154R3	650	10	6500
	6500K	150x150	166x166x28	1500	PDLM02157R3	650	10	6500
20W	3000K	205x205	220x220x28	1800	PDLM02203R3	950	10	9500
	4000K	205x205	220x220x28	1900	PDLM02204R3	950	10	9500
	6500K	205x205	220x220x28	2000	PDLM02207R3	950	10	9500

TRI COLOUR PC DOWN LIGHT - CIRCULAR



5W	CW+NW+WW	Ø100	Ø116x36	NA	PDLM0105CNW	550	20	11000
10W	CW+NW+WW	Ø100	Ø116x36	NA	PDLM0110CNW	600	20	12000
15W	CW+NW+WW	Ø150	Ø166x36	NA	PDLM0115CNW	850	20	17000
15W	Red+Blue+Violet	Ø150	Ø166x36	NA	PDLM0115RBV	850	20	17000

TRI COLOUR PC DOWN LIGHT - SQUARE



5W	CW+NW+WW	100x100	116x116x36	NA	PDLM0205CNW	550	20	11000
10W	CW+NW+WW	100x100	116x116x36	NA	PDLM0210CNW	600	20	12000
15W	CW+NW+WW	150x150	166x166x36	NA	PDLM0215CNW	850	20	17000
15W	Red+Blue+Violet	150x150	166x166x36	NA	PDLM0215RBV	850	20	17000



Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

CYLINDRICAL COB - SUSPENDED DOWN LIGHT



RG Reflector								
12W	3000K	NA	Ø73x95	840	PDHM01123	2400	10	24000
	4000K	NA	Ø73x95	900	PDHM01124	2400	10	24000
	6500K	NA	Ø73x95	960	PDHM01127	2400	10	24000
18W	3000K	NA	Ø73x146	1260	PDHM01183	2850	10	28500
	4000K	NA	Ø73x146	1350	PDHM01184	2850	10	28500
	6500K	NA	Ø73x146	1440	PDHM01187	2850	10	28500
Silver Reflector								
12W	3000K	NA	Ø73x95	840	PDHM02123	2400	10	24000
	4000K	NA	Ø73x95	900	PDHM02124	2400	10	24000
	6500K	NA	Ø73x95	960	PDHM02127	2400	10	24000
18W	3000K	NA	Ø73x146	1260	PDHM02183	2850	10	28500
	4000K	NA	Ø73x146	1350	PDHM02184	2850	10	28500
	6500K	NA	Ø73x146	1440	PDHM02187	2850	10	28500

CYLINDRICAL COB - SURFACE DOWN LIGHT




RG Reflector								
12W	3000K	NA	Ø73x95	840	PDSM01123	2050	10	20500
	4000K	NA	Ø73x95	900	PDSM01124	2050	10	20500
	6500K	NA	Ø73x95	960	PDSM01127	2050	10	20500
18W	3000K	NA	Ø73x146	1260	PDSM01183	2500	10	25000
	4000K	NA	Ø73x146	1350	PDSM01184	2500	10	25000
	6500K	NA	Ø73x146	1440	PDSM01187	2500	10	25000
Silver Reflector								
12W	3000K	NA	Ø73x95	840	PDSM02123	2050	10	20500
	4000K	NA	Ø73x95	900	PDSM02124	2050	10	20500
	6500K	NA	Ø73x95	960	PDSM02127	2050	10	20500
18W	3000K	NA	Ø73x146	1260	PDSM02183	2500	10	25000
	4000K	NA	Ø73x146	1350	PDSM02184	2500	10	25000
	6500K	NA	Ø73x146	1440	PDSM02187	2500	10	25000




Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

LED BATTEN


PC BATTEN

	36W	6500K	NA	1130x34x38	3600	PBTM23367	999	20	19980
---	-----	-------	----	------------	------	-----------	-----	----	-------


2FT PC BATTEN

	20W	6500K	NA	595x24.5x38.5	2000	PBTM23207	499	20	9980
---	-----	-------	----	---------------	------	-----------	-----	----	------


RADAR BATTEN

	20W	6500K	NA	1210x36x25	2000	PBTM21207	900	20	18000
---	-----	-------	----	------------	------	-----------	-----	----	-------

TRI CCT BATTEN

	22W	CW+NW+WW	NA	1130x23x36	2200	PBTM0222CNW	800	20	16000
---	-----	----------	----	------------	------	-------------	-----	----	-------


ALUMINIUM BATTEN

	40W	3000K	NA	1210x30x38	3600	PBTM08403	1150	20	23000
		4000K	NA	1210x30x38	3800	PBTM08404	1150	20	23000
		6500K	NA	1210x30x38	4000	PBTM08407	1150	20	23000



Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

THEALED BATTEN



5W	3000K	NA	266x24.5x34.3	500	PBTM24053	260	25	6500
	6500K	NA	266x24.5x34.3	500	PBTM24057	260	25	6500
10W	3000K	NA	536x24.5x34.3	1000	PBTM24103	360	25	9000
	6500K	NA	536x24.5x34.3	1000	PBTM24107	360	25	9000
20W	3000K	NA	1100x24.5x33.5	1800	PBTM24203	499	25	12475
	4000K	NA	1100x24.5x33.5	1900	PBTM24204	499	25	12475
	6500K	NA	1100x24.5x33.5	2000	PBTM24207	499	25	12475
	3000K	NA	1100x24.5x33.5	1800	PBTM24203R1	470	25	11750
	4000K	NA	1100x24.5x33.5	1900	PBTM24204R1	470	25	11750
	6500K	NA	1100x24.5x33.5	2000	PBTM24207R1	470	25	11750
	Red	NA	1100x24.5x33.5	NA	PBTM2420R	499	25	12475
	Green	NA	1100x24.5x33.5	NA	PBTM2420G	499	25	12475
	Blue	NA	1100x24.5x33.5	NA	PBTM2420B	499	25	12475
	Pink	NA	1100x24.5x33.5	NA	PBTM2420P	499	25	12475
	24W	6500K	NA	1100x24.5x33.5	2400	PBTM24247	599	25



Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

OUTDOOR

STREET LIGHT DOLPHIN SHAPE



15W	6500K	NA	284x115x55	1500	PSTM23157	1900	10	19000
25W	6500K	NA	284x115x55	2500	PSTM23257	2100	10	21000
45W	6500K	NA	353x137x55	4500	PSTM23457R1	2750	10	27500
60W	6500K	NA	478x178x64	6000	PSTM23607	5850	4	23400
75W	6500K	NA	478x178x64	7500	PSTM23757	6350	4	23400

SENSOR STREET LIGHT DOLPHIN SHAPE



45W	6500K	NA	353x137x55	4500	PSTM02457	3400	10	34000
-----	-------	----	------------	------	-----------	------	----	-------

BULK HEAD



12W

10W/20W

12W	3000K	NA	233x107x50	972	PBHM02123	900	10	9000
	6500K	NA	233x107x50	1080	PBHM02127	900	10	9000
10W	3000K	NA	171x72x46	800	PBHM03103	800	10	8000
	4000K	NA	171x72x46	850	PBHM03104	800	10	8000
	6500K	NA	171x72x46	900	PBHM03107	800	10	8000
20W	3000K	NA	211x103x58	1600	PBHM03203	1200	10	12000
	4000K	NA	211x103x58	1700	PBHM03204	1200	10	12000
	6500K	NA	211x103x58	1800	PBHM03207	1200	10	12000



Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

FLOOD LIGHT



20W	6500K	NA	145x115x42	2000	PFLM21207	1400	10	14000
30W	6500K	NA	225x159x41	3000	PFLM21307	2000	5	10000
50W	3000K	NA	225x159x41	4500	PFLM21503	2500	5	12500
	6500K	NA	225x159x41	5000	PFLM21507	2500	5	12500
100W	3000K	NA	332x289x53	9000	PFLM21AB3	4400	2	8800
	6500K	NA	332x289x53	10000	PFLM21AB7	4400	2	8800

HIGH WATTAGE FLOOD LIGHT



150W	3000K	NA	382x312x92	13500	PFLM21FG3	7000	2	14000
	6500K	NA	382x312x92	15000	PFLM21FG7	7000	2	14000
200W	3000K	NA	465x355x92	18000	PFLM21MN3	9200	2	18400
	6500K	NA	465x355x92	20000	PFLM21MN7	9200	2	18400

RGB FLOOD LIGHT






40W	Red	NA	225x160x41	NA	PFLM2140R	3000	5	15000
	Green	NA	225x160x41	NA	PFLM2140G	3000	5	15000
	Blue	NA	225x160x41	NA	PFLM2140B	3000	5	15000



Wattage	Correlated Colour Temperature	Cut Out Dimension (mm)	Product Dimension (mm)	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
---------	-------------------------------	------------------------	------------------------	--------------	--------------	----------------------------------	---------------------------------------	--

FLOOD LIGHT

	20W	3000K	NA	121x113x43	1800	PFLM24203	2000	10	20000
		6500K	NA	121x113x43	2000	PFLM24207	2000	10	20000
	30W	3000K	NA	142x129x43	2700	PFLM24303	2800	10	28000
		6500K	NA	142x129x43	3000	PFLM24307	2800	10	28000
	50W	3000K	NA	169x158x55	4500	PFLM24503	3200	5	16000
		6500K	NA	169x158x55	5000	PFLM24507	3200	5	16000
	100W	3000K	NA	202x212x61	9000	PFLM24AB3	5500	5	27500
		6500K	NA	202x212x61	10000	PFLM24AB7	5500	5	27500
	150W	3000K	NA	286x276x68	13500	PFLM24FG3	9800	4	39200
		6500K	NA	286x276x68	15000	PFLM24FG7	9800	4	39200
	200W	3000K	NA	344x316x73	18000	PFLM24MN3	13000	4	52000
		6500K	NA	344x316x73	20000	PFLM24MN7	13000	4	52000

Terms and Conditions:

• All prices are subject to general terms and conditions of our business • MRP prices are inclusive of local taxes / VAT and excise duty at the prevailing rates. Prices are subject to change without prior notice • This price list supersedes all our previous price lists. If any dispute should arise, it will be subject to Mumbai jurisdiction • Due to continuous improvements in product design and development and manufacturing methods, the product may differ in some respects from the details provided herein. Current details should therefore be checked with the company.

Panasonic Life Solutions India Pvt. Ltd.

3rd Floor, B Wing, I-Think Techno Campus,
Pokharan Road No. 2, Thane (W), Thane - 400 607, Maharashtra.
T: (9122) 42228888 | Whatsapp No.: 9136028606
F: (9122) 42228884
Customer Care No.: 022-41304130
Email: info@in.panasonic.com
www.lsin.panasonic.com

Panasonic

All Rights Reserved © 2015 COPYRIGHT Panasonic Life Solutions India Pvt. Ltd.
Specifications are subject to change without notice
Printed in India

The duplication and transfer of images from this catalogue without permission is strictly prohibited.