

# EURONICS

+91 8010 930 930 | in@euronics.co.in | www.euronics.co.in

## EURONICS INDUSTRIES PRIVATE LIMITED

### CORPORATE OFFICE

564-567, Udyog Vihar, Phase V, Sector 19,  
Gurugram-122016

### MUMBAI

B/003 New India Chamber, MIDC Central Road,  
Andheri East, Mumbai, Maharashtra - 400093

### HYDERABAD

Plot No. 208, 2nd Floor, Kavuri Hills Phase 2,  
Madhapur, Hyderabad-500033

### SURAT

Velocity Business Hub, 12<sup>th</sup> Floor, LP Savani Rd,  
Adajan, Surat, Gujarat - 395009

### KOLKATA

Office No. 419B, PS QUBE Street Number 11,  
Newtown, Kolkata, West Bengal - 700156

### INDORE

DevX, 601, 6th floor, NRK Business Park,  
PU 4, B/H Mangal City Mall, Indore - 452010

### VISAKHAPATANAM

Kailashtowers, MVP Colony, Sector 1,  
Near Amma Hospital, Visakhapatnam-530017

### NAGPUR

MBW, Maxx Pride, Manish Nagar,  
Beltarodi Road, Nagpur-441108

### HUBLI

Prashanth Colony, Shirur Park, Vidya Nagar, Hubli,  
Karnataka - 580031

### TRIVANDRUM

DotSPACE Business Center, TC 24/3088  
2nd Floor, Kowdiar Trivandrum - 695003

### JAIPUR

RAW Office Space , Plot no. 8, Govind Marg,  
Block-B, Malviya Nagar, Jaipur, Rajasthan 302017

### RAJKOT

Dev X, 3rd Floor, A wing, Om 9 Square 150 Feet Ring Rd  
Circle, Nana Mava, Rajkot, Gujarat 360003

### BANGALORE

557, Ground Floor, 9th A Main Road, 1st Stage Rd,  
Indiranagar, Bengaluru, Karnataka - 560038

### VADODARA

3rd Floor, 313 - 321 Neptune Edge,  
Dr. Vikram Sarabhai Marg, Vadodara - 390007

### NOIDA

3rd Floor, The Iconic Corenthum Building, Sec-62,  
Noida, Uttar Pradesh - 201301

### UDAIPUR

DevX, 501 - 510, 5th floor, Plot no. A, Paras Prime  
Railway Colony, Udaipur, Rajasthan 313001

### RAIPUR

Zenith Co-working Space, 7th Floor, Currency  
Tower, Raipur, Chhattisgarh - 492001

### GLOBAL PRESENCE

US | SPAIN | SINGAPORE | MALAYSIA

\* EURONICS is a registered trademark

### PUNE

7060, 7th Floor Marvel Feugo, Magarpatta  
Road, Hadapsar, Pune, Maharashtra - 411028

### AHMEDABAD

401/402 YASH ANANT Opp Old RBI  
Ashram Road AHMEDABAD- 380009

### CHENNAI

Plot No:90, 1st Floor, Thirumalai Nagar,  
Annexe 3rd Cross Street, Chennai-600096

### CHANDIGARH

Space Jam, SCO 50-51, 3rd Floor,  
Sector-34 A, Chandigarh - 160034

### LUCKNOW

NagHub, 212, 2nd Floor, Levana Cyber Heights,  
Vibhuti Khand, Lucknow - 226010

### GOA

J N Chambers, Dr. P. Shirgaonkar Road, Panjim,  
Goa - 403001

### COIMBATORE

No. 11/4, Pooja Garden, Civil Aerodrome Post,  
Kalapatti, Coimbatore - 641014

### GUWAHATI

183, Shreeji Tower, 3rd Floor, Christian Basti,  
Guwahati - 781005

### KOCHI

Hilite Platino Room 204, Shankar Nagar,  
Kannadikkadu, Maradu, Kochi-682304

### BHOPAL

R WorkSquare Plot No-21, Unit No- EC 11,  
Near AajTak News, M.p. Nagar, Bhopal - 462011

### PATNA

The Hub, 2nd Floor, Near Regent cinema,  
Gandhi Maidan Rd, Patna, Bihar - 800004

### KANPUR

Workobar Coworking Space, Floor No. 3-B, 3-C,  
3-D, 4/275, Tilak Nagar, Kanpur, 208002 (UP)

### BHUBANESWAR

OU-640, 6th Floor, Nexus Esplanade  
Cuttack-Rd, Bhubaneswar Odisha - 751010

### DEHRADUN

J2.0 Jumpstart Haridwar Bypass Road,  
Dehradun, Uttarakhand - 248001

### JAMMU

7 SEAS International Education, 539 A,  
Gandhi Nagar Jammu J & K - 180004

### RANCHI


9th Floor, Mahabir Tower, Opp. of JD  
Corporate, Main Road Ranchi-834001

### OUR MANUFACTURING FACILITY

Euronics Tech Works Private Limited  
Plot 7D, Sarhaul, Sector 18, Gurugram,  
Sarhol, Haryana 122015



Sept 2025 | Edition



**EURONICS**  
SUSTAINABLE WASHROOM AUTOMATION



# OUR INNOVATION

Sustainably Crafting a Better  
Tomorrow

We are proud to house a talented team of product designers and engineers dedicated to new product development. Our team excels in product customization, offering tailor-made solutions to meet the unique needs and preferences of our clients. With their expertise and creativity, we continually push the boundaries of innovation to bring fresh ideas and solutions to market.



# QUICK REFERENCE

## SUGGESTIVE SITE APPLICATIONS

- CORPORATE
- RETAIL
- HOTEL
- RESTAURANT
- INSTITUTION
- INDUSTRY
- HEALTHCARE
- WELLNESS
- AIRPORT
- METRO

## INDICATIVE FEATURES

- HOT & COLD
- AIR FLOW
- NO PAPER/TOISSUE
- PAPER/ TISSUE
- TIME
- TOUCH START
- TOUCH FREE
- GERM FREE
- DISABLED ACCESS
- INFRA RED SENSOR
- TEMPERATURE CONTROL
- VANDAL PROOF
- WASTE RECEPTACLE
- SENSOR TAP
- WATER SAVER
- BATTERY OPERATED
- LIQUID DISPENSER
- GREEN ENERGY
- CHILD CARE
- CHILD CARE STATION

# INDEX

## WHO WE ARE



05

## WHAT WE DO



06

## WHAT WE OFFER



07

## OUR CLIENTS



09

## HAND DRYERS




11

## WASHROOM PANELS



25

## SENSOR URINALS




37

## SENSOR TAPS



41

## CONCEALED CISTERNS



49

## PAPER DISPENSERS



55

## ADD ON ACCESSORIES




61

## SOAP DISPENSERS




67

## BEHIND MIRROR




75

## FRAGRANCE & SANITIZER DISPENSER



79

## DISABLED - ACCESS GRAB BARS



81

## BABY DIAPER CHANGING STATIONS



87

# India's Largest Washroom Automation Manufacturing Facility

EURONICS

31+

Pan India Offices

4+

International Offices

750+

Team Members

5,00,000+

Satisfied Customers



Euronics has acquired a 2-acre, 1.5 lakh square feet area to open **India's Largest Manufacturing Plant for washroom automation accessories** in the heart of Gurugram. Equipped with state-of-the-art Japanese bending and laser-cutting technology, the facility enhances our capabilities in innovation, production, and design. With a talented team of product designers and engineers driving monthly new product development, this expansion reinforces our commitment to delivering premium, best-in-class solutions while seamlessly managing ambitious projects from concept to completion.

## WHO WE ARE

"You Wish; We Deliver"

EURONICS Inspire – your one-stop destination for everything related to public washrooms and hygiene solutions. From cutting-edge washroom automation and stylish bathroom accessories to CP fittings and sanitary ware, we provide comprehensive solutions that transform washrooms into cohesive, functional, and aesthetically pleasing spaces.

Discover the perfect blend of style, functionality, and hygiene with our tailored offerings, designed to meet the unique needs of both large corporations and private individuals. Backed by our in-house manufacturing capabilities, we deliver customized solutions that cater to your specific requirements.

With a legacy of excellence in providing state-of-the-art products, installation equipment, and accessories, EURONICS is committed to transforming washroom facilities across industries. Our solutions are crafted to maintain the highest standards of cleanliness and efficiency while remaining cost-effective and user-friendly.

At EURONICS, we take pride in empowering organizations and individuals with world-class products that reflect impeccable style and integrity. Our commitment to global sustainability initiatives ensures that our practices and products contribute to a greener future.

Experience the EURONICS difference – elevate your washroom facilities with solutions that redefine excellence, hygiene, and sustainability

## WE HAVE DELIVERED MORE THAN ONE MILLION FITTING UNITS

WE ARE PROUD,  
WE ARE STILL CONTINUING...



# WHAT WE DO

## SHAPING THE FUTURE OF WASHROOM AUTOMATION

At Euronics, we don't just create products; we design experiences. Our washroom automation solutions are inspired by the latest industry trends, combining smart technology, sustainability, and user-centric designs to transform spaces into modern sanctuaries of hygiene and efficiency.

### WHY THIS MATTERS TODAY

Modern restrooms are no longer mere utilities; they reflect brand values and user priorities. Businesses seek solutions that embody.



#### Sustainable by Design

All our products are Green Building Certified



#### Intelligent Hygiene Solutions

Equipped with sensor-based automation, ensuring contactless operation



#### Enhanced User Experience

Ergonomic designs, intuitive interfaces, and premium aesthetics



#### Operational Efficiency

Reduce costs and enhance facility management.

With decades of expertise, global collaborations, and an in-house R&D team, Euronics is at the forefront of the washroom automation revolution. We don't just follow trends; we define them. Together, let's create smarter, greener, and better spaces.

From our earliest innovations to our latest offerings, our extensive catalog now showcases 750+ meticulously crafted products, thoughtfully organized into three distinct verticals. These verticals are designed for seamless navigation and tailored to meet diverse requirements, making selection effortless and precise.

# WHAT WE OFFER

### EURONICS INSPIRE



HAND DRYERS  
WASHROOM PANELS  
SENSOR TAPS  
URINAL & WC SENSORS  
PAPER & SOAP DISPENSERS  
GRAB BAR & ACCESSORIES  
BABY DIAPER CHANGING STATIONS  
BEHIND MIRROR SERIES  
FRAGRANCE DISPENSER

### BATH & SANITARYWARE



FAUCETS  
SANITARYWARE  
DESIGNER CERAMIC  
CISTERNS  
ALLIED  
BATHROOM ACCESSORIES  
FLOOR GRATING & DRAINS

### EURONICS ENTREE



AIR CURTAINS  
ENTRANCE MATTING SOLUTIONS  
Q MANAGERS  
STEEL BOLLARDS  
SHOE COVER DISPENSERS  
SHOE SHINING MACHINES

WE MAKE IT EASY TO SPECIFY THESE PRODUCTS THROUGH A SEASONED CUSTOMER SERVICE STAFF AND THE BEST INFORMATIONAL TOOLS IN THE INDUSTRY.



RESIDENTIAL



CINEMAS



HOTELS



CORPORATE &  
CO-WORKING



HEALTH &  
WELLNESS CENTRES



HOSPITALS



AIRPORTS



RETAILS



SCHOOL &  
COLLEGES

OUR  
CLIENTS  
OUR  
PRIDE

## OUR PRIVILEGED CLIENTS

Microsoft®

Google™

facebook

PVR

DELHI INDIRA GANDHI  
INTERNATIONAL AIRPORT

Infosys®

ORACLE®



accenture

IBM

LARSEN & TOUBRO

DLF BUILDING INDIA

Coca-Cola

Nestlé

pepsi.

Having crossed 50,000+ projects EURONICS has already forayed into the washroom automation products & solutions industry. Today it has become a reputed name amongst architects and consultants; for its advanced technology, functional durability, timely delivery and prompt after sales service to it's customers.



**95% COST SAVINGS  
OVER PAPER TOWELS**

**VIRTUALLY  
MAINTENANCE FREE**

**REDUCE CARBON  
FOOTPRINT**

TECHNOLOGY THAT BRINGS,  
NOTHING LESS THAN COMFORT

## HIGH SPEED HAND DRYERS

Innovative technology from Euronics inspire, makes hand drying fast and easy.

Designed with a high-velocity air stream that completely eliminates water droplets and vapor, it dries hands in seconds.

Energy Efficient technology makes it the preferred choice.



**Saves electricity**  
80% energy saving  
vs conventional Hand Dryers



**Hygienic environment**  
Keeps your hands  
and washroom germ free




**Reduces carbon footprint**  
70% lesser carbon footprint  
as compared to paper dispensers



**Saves money**  
Saves upto Rs. 40,000 per washroom  
per year vs Paper Dispensers

JET HAND DRYER  
WITH HEPA FILTER  
Stainless Steel - High Traffic



KEY FEATURES

|                     |                             |                             |
|---------------------|-----------------------------|-----------------------------|
|                     |                             |                             |
| Construction        | Stainless Steel # 304 Grade | Stainless Steel # 304 Grade |
|                     |                             |                             |
| Suitable Traffic    | High                        | Medium                      |
|                     |                             |                             |
| Operation           | Touch-Free Infra-Red        | Touch-Free Infra-Red        |
|                     |                             |                             |
| Auto Cutoff         | 30 seconds                  | 30 seconds                  |
|                     |                             |                             |
| Speed               | 21,000 RPM                  | 21,000 RPM                  |
|                     |                             |                             |
| Rated Power         | 750W/1650W                  | 750W/1650W                  |
|                     |                             |                             |
| Current             | 7.5 A                       | 7.5 A                       |
|                     |                             |                             |
| Blowing Volume      | 170 m3/h                    | 150 m3/h                    |
|                     |                             |                             |
| HEPA Filter         | Yes                         | Yes                         |
|                     |                             |                             |
| Warranty on Machine | 2 Years                     | 2 Years                     |




JET HAND DRYER  
WITH HEPA FILTER  
High Traffic




KEY FEATURES

|                   |                          |                          |
|-------------------|--------------------------|--------------------------|
|                   |                          |                          |
| Construction      | Polycarbonate ABS casing | Polycarbonate ABS casing |
|                   |                          |                          |
| Suitable Traffic  | High                     | Medium                   |
|                   |                          |                          |
| Operation         | Touch-Free Infra-Red     | Touch-Free Infra-Red     |
|                   |                          |                          |
| Auto Cutoff       | 30 Sec                   | 30 seconds               |
|                   |                          |                          |
| Speed             | 21,000 RPM               | 21,000 RPM               |
|                   |                          |                          |
| Rated Power       | 800W                     | 800W                     |
|                   |                          |                          |
| Protection Class  | IPX4                     | IPX4                     |
|                   |                          |                          |
| Air Speed         | 95 m/s                   | 95 m/s                   |
|                   |                          |                          |
| Heating Element   | Yes                      | Yes                      |
|                   |                          |                          |
| Warranty on Motor | 5 Years                  | 2 Years                  |
|                   |                          |                          |



HAND DRYER  
RECESSED



KEY FEATURES

| Casing           | Stainless Steel # 304 Grade     | Stainless Steel # 304 Grade     |
|------------------|---------------------------------|---------------------------------|
| Operation        | Touch-Free Infra-Red activation | Touch-Free Infra-Red activation |
| Auto Cutoff      | 60 seconds                      | 60 seconds                      |
| Speed            | 26,000 RPM                      | 26,000 RPM                      |
| Protection Class | IPX1                            | IPX1                            |
| Air Speed        | 100m/s                          | 100m/s                          |




ULTRA THIN STEEL  
HIGH SPEED HAND DRYER



KEY FEATURES

| Model.No              | Trimax                       | Trion                        |
|-----------------------|------------------------------|------------------------------|
|                       |                              |                              |
| Mounting              | Wall Mounted                 | Wall Mounted                 |
|                       |                              |                              |
| Auto Cutoff           | 60 seconds                   | 60 seconds                   |
|                       |                              |                              |
| RPM                   | 36,000                       | 36,000                       |
|                       |                              |                              |
| Protection Class      | IPX1                         | IPX1                         |
|                       |                              |                              |
| Dimension             | 263(L) x 97.9 (W) x 306.5(H) | 263(L) x 97.9 (W) x 306.5(H) |
|                       |                              |                              |
| Wavelength            | 280nm                        | 280nm                        |
|                       |                              |                              |
| Life time of UV light | More than 10 years           | More than 10 years           |

TIERRA  
HAND DRYER




KEY FEATURES

|               |              |
|---------------|--------------|
|               |              |
| Mounting      | Wall Mounted |
|               |              |
| Hand Dry Time | 20 Sec       |
|               |              |
| Motor         | Brushless    |
|               |              |
| Rated Power   | 500 W        |
|               |              |
| Air Speed     | 110m/s       |
|               |              |




EH210N  
STAINLESS STEEL  
HAND DRYER




KEY FEATURES

|                |                                |
|----------------|--------------------------------|
|                |                                |
| Filter         | HEPA Filter                    |
|                |                                |
| Operation      | Automatic                      |
|                |                                |
| Hand Dry Time  | Less than 20 secs              |
|                |                                |
| Motor          | Brush Type, Dual Ball Bearings |
|                |                                |
| Rated Power    | 1800 W                         |
|                |                                |
| Blowing Volume | > 270 m3/H                     |
|                |                                |

PHD501  
HI-SPEED HAND DRYER  
Medium Traffic



V- SHAPE  
AIR THROW



KEY FEATURES



|                  |                   |
|------------------|-------------------|
|                  |                   |
|                  | Wall Mounted      |
|                  |                   |
|                  | Less than 25 secs |
|                  |                   |
| Noise Level      | 60-80 db(A)       |
|                  |                   |
| Speed            | 25,000 RPM        |
|                  |                   |
| Rated Power      | 1000W             |
|                  |                   |
| Protection Class | IPX1              |
|                  |                   |
| Air Speed        | 90 m/s            |
|                  |                   |



EH270N

STAINLESS STEEL HAND DRYER

Moderate Traffic





KEY FEATURES

|                |                                        |
|----------------|----------------------------------------|
|                |                                        |
| Filter         | HEPA Filter                            |
|                |                                        |
| Operation      | Automatic                              |
|                |                                        |
| Hand Dry Time  | Less than 30 secs                      |
|                |                                        |
| Motor          | Brush AC Type                          |
|                |                                        |
| Rated Power    | 1000 W ( Motor 500 W + 500 W Element ) |
|                |                                        |
| Blowing Volume | > 270 m³/H                             |
|                |                                        |

EH220N

ABS HAND DRYER



KEY FEATURES

|               |               |
|---------------|---------------|
|               |               |
| Mounting      | Wall Mounted  |
|               |               |
| Hand Dry Time | 45-60 seconds |
|               |               |
| Motor         | Brush Motor   |
|               |               |
| Rated Power   | 1150-1350 W   |
|               |               |
| Air Speed     | 60 m/s        |
|               |               |





# WASHROOM PANELS

Smart technologies from EURONICS inspire, presents washroom panel systems, that gives a fast and easy, professional look with a dash of utility & performance.

Full-height panels that offer right from energy efficient built-in hand-dryers, paper dispensers to waste receptacles.

Built sturdy, designed to maintain hygiene, makes it the preferred choice.

PROFESSIONAL TECHNOLOGY, THAT  
BRINGS, PERFORMANCE & UTILITY.



**Long Lasting Life**  
Full assurance of best quality  
# 304 grade stainless steel



**Vandal Proof Body**  
Perfect selection of material & design to protect from vandalism



**Hygienic Environment**  
Keeps your hands and washroom germ free



**Must for Green buildings**  
lesser carbon footprint as compared to regular products

## KMR43A

(Automatic Tissue Roll Dispenser,  
Hand Dryer & Waste Receptacle)



BRUSHLESS  
MOTOR



HI SPEED  
HAND DRYER



BLACK



GOLD

### KEY FEATURES

**Mounting :** Recessed

**Construction :** 304 Grade Stainless Steel

**Finish :** Stainless Steel

**Paper Dispenser Power :** Electrical or Battery  
Operated (4 x D Size Alkaline Batteries)

**Waste Receptacle Capacity :** 23 Litres

**Hand Dryer Motor :** Brushless

**Hand Dryer Power :** 1350W


**Sensor Range :** 12 cm – 15 cm

**Protection Class :** IPX1

**Wall Opening Required :** 340mm (W) x  
1665mm (H) x 170mm (D)

**Warranty on Brushless Motor :** 2 Year

**Product Warranty :** 1 Year



Automatic  
Tissue Roll  
Dispenser


Hand Dryer

Waste  
Receptacle



## KMR2N

(Hand Dryer + Tissue Dispenser  
+ Waste Receptacle)



BRUSHLESS  
MOTOR



HI SPEED  
HAND DRYER



BLACK



GOLD

### KEY FEATURES

**Mounting :** Recessed

**Construction :** 304 Grade Stainless Steel

**Finish :** Steel, Satin Finish

**Paper Dispenser Capacity :** 600 C-Fold  
or 800 Multi Fold Paper Towel

**Waste Receptacle Capacity :** 21 Litres

**Hand Dryer Motor :** Brushless

**Hand Dryer Power :** 1350W


**Sensor Range :** 12 cm – 15 cm

**Protection Class :** IPX1

**Wall Opening Required :** 315mm (W) x  
1665mm (H) x 130mm (D)

**Warranty on Brushless Motor :** 2 Year

**Product Warranty :** 1 Year



Paper Dispenser

Hand Dryer

Waste Receptacle



## KHDW5

(Hand Dryer + Waste Receptacle)



BRUSHLESS  
MOTOR



HI SPEED  
HAND DRYER



BLACK



GOLD

### KEY FEATURES

**Mounting :** Recessed

**Construction :** 304 Grade Stainless Steel

**Finish :** Steel, Satin Finish

**Waste Receptacle Capacity :** 21 Litres

**Hand Dryer Power :** 1350W

**Hand Dryer Motor :** Brushless

**Motor Speed :** 26,000 RPM

**Blowing Volume :** > 270 m<sup>3</sup>/h

**Air Speed :** 95 m/s


**Sensor Range :** 12 cm – 15 cm

**Protection Class :** IPX1

**Wall Opening Required :** 315mm (W) x  
1130mm (H) x 130mm (D)

**Warranty on Brushless Motor :** 2 Year

**Product Warranty :** 1 Year




Hand Dryer

Waste Receptacle



## KPD14A

(Automatic Tissue Roll Dispenser + Waste Receptacle)



BLACK



GOLD

### KEY FEATURES

**Mounting :** Recessed

**Construction :** 304 Grade Stainless Steel

**Finish :** Steel, Satin Finish

**Paper Dispenser Power :** Electrical or Battery  
Operated (4 x D Size Alkaline Batteries)

**Waste Receptacle Capacity :** 35 Litres

**Wall Opening Required :** 335mm (W) x  
1435mm (H) x 165mm (D)


**Warranty :** 1 year

Automatic Tissue  
Roll Dispenser

Waste Receptacle



**KPDRN**  
(Tissue Dispenser + Waste Receptacle)



**KEY FEATURES**

**Mounting :** Recessed

**Construction :** 304 Grade Stainless Steel

**Finish :** Steel, Satin Finish

**Paper Dispenser Capacity :** 600 C-Fold or 800 Multi Fold Paper Towel


**Waste Receptacle Capacity :** 45.5 Liters

**Wall Opening Required :** 397mm (W) x 1384mm (H) x 115mm (D)

**Warranty :** 1 Year



**KPD3S**  
(Tissue Dispenser + Waste Receptacle) - Mini



**KEY FEATURES**

**Mounting :** Recessed

**Construction :** 304 Grade Stainless Steel

**Finish :** Steel, Satin Finish

**Paper Dispenser Capacity :** 600 C-Fold or 800 Multi Fold Paper Towel

**Waste Receptacle Capacity :** 12 Litres

**Wall Opening Required :** 370mm (W) x 672mm (H) x 105mm (D)

**Warranty :** 1 Year



## KMR53AE

(Automatic Paper Towel Roll Dispenser,  
Hand Dryer & Waste Receptacle)



BRUSHLESS  
MOTOR



HI SPEED  
HAND DRYER



BLACK



GOLD

### KEY FEATURES

**Mounting :** Surface Mounted

**Construction :** 304 Grade Stainless Steel

**Finish :** Stainless Steel

**Paper Dispenser Power :** Electrical or Battery  
Operated (4 x D Size Alkaline Batteries)

**Waste Receptacle Capacity :** 23 Litres

**Hand Dryer Motor :** Brushless

**Hand Dryer Power :** 1350W


**Sensor Range :** 12 cm – 15 cm

**Protection Class :** IPX1

**Wall Opening Required :** 379mm (W) x  
1700mm (H) x 145mm (D)

**Warranty on Brushless Motor :** 2 Year

**Product Warranty :** 1 Year



Automatic  
Tissue Roll  
Dispenser

Hand Dryer

Waste  
Receptacle



## KMR2NE

(Hand Dryer + Tissue Dispenser  
+ Waste Receptacle)



BRUSHLESS  
MOTOR



HI SPEED  
HAND DRYER



BLACK



GOLD

### KEY FEATURES

**Mounting :** Surface Mounted

**Construction :** 304 Grade Stainless Steel

**Finish :** Steel, Satin Finish

**Paper Dispenser Capacity :** 600 C-Fold  
or 800 Multi Fold Paper Towel

**Waste Receptacle Capacity :** 21 Litres

**Hand Dryer Motor :** Brushless

**Hand Dryer Power :** 1350W


**Sensor Range :** 12 cm – 15 cm

**Protection Class :** IPX1

**Wall Opening Required :** 345mm (W) x  
1700mm (H) x 115mm (D)

**Warranty on Brushless Motor :** 2 Year

**Product Warranty :** 1 Year



Paper Dispenser

Hand Dryer

Waste Receptacle




KPDN

(Tissue Dispenser + Waste Receptacle)



KEY FEATURES

- Mounting : Recessed
- Construction : 304 Grade Stainless Steel
- Finish : Steel, Satin Finish
- Paper Dispenser Capacity : 600 C-Fold or 800 Multi Fold Paper Towel
- Waste Receptacle Capacity : 24 Litres
- Wall Opening Required : 325 mm (W) x 1365 mm (H) x 120 mm (D)
- Warranty : 1 Year



Paper Dispenser

Waste Receptacle




KPD2E

(Tissue Dispenser + Waste Receptacle)



KEY FEATURES

- Mounting : Surface Mount
- Construction : 304 Grade Stainless Steel
- Finish : Steel, Satin Finish
- Paper Dispenser Capacity : 600 C-Fold or 800 Multi Fold Paper Towel
- Size : 435 mm (W) x 1425 mm (H) x 110 mm (D)
- Waste Receptacle Capacity : 45.5 Litres
- Warranty : 1 Year



Paper Dispenser

Waste Receptacle



SMART TECHNOLOGY  
THAT BRINGS,  
ENERGY EFFICIENCY  
& HYGIENE



## SENSOR URINALS WC FLUSHER

Smart technologies from Euronics inspire, presents washroom sensor - urinals, WC flusher with not only smart looks but high on utility & performance.

Full-range of designed products to offer performance & maintain hygienic environment.

Perfect products for Green Building projects.



**Saves water & environment**  
Keeps your hands and washroom germ free



**Must for Green buildings**  
lesser carbon footprint as compared to regular products



**Solar Power**  
Usage of alternate power not only to save money but environment

### EU77BE

#### SENSOR URINAL FLUSHER

Recessed

**Operation :** Self Flush Infra-Red Sensor + Manual Push Button


**Working Water Pressure :** 0.1 MPa - 0.7 MPa

**Sensing Range :** 65 cm

**Power :** Electrical (AC 220V, 50Hz)+ Battery (4 x AA Size)

**Dia of Inlet/ Outlet Pipe :**  
Dn 15 ( G1/2")

| Water Discharge (per use in litres) | 0.22 L | 0.33 L | 0.40 L |
|-------------------------------------|--------|--------|--------|



### EU54BE

#### SENSOR URINAL FLUSHER

Recessed

**Operation :** Self Flush Infra-Red Sensor


**Working Water Pressure :**  
0.1 MPa - 0.7 MPa

**Sensing Range :** 65 cm

**Power :** Electrical (AC 220V, 50Hz)+ Battery (4 x AA Size)

**Dia of Inlet/ Outlet Pipe :**  
Dn 15 ( G1/2")

| Water Discharge (per use in litres) | 0.22 L | 0.33 L | 0.40 L |
|-------------------------------------|--------|--------|--------|



### EU03

#### OUTWALL URINAL FLUSHER


**Operation :** Self Flush Infra-Red Sensor

**Working Water Pressure :**  
0.1 MPa - 0.7 MPa

**Sensing Range :** 10-20 cm

**Power :** Battery (4 x AA Duracell)

| Water Discharge (per use in litres) | 0.22 L | 0.33 L | 0.40 L |
|-------------------------------------|--------|--------|--------|



### EW01

#### SENSOR TOILET FLUSHER

WC Area Recessed


**Operation :** Self Flush Infra-Red Sensor

**Sensing Range :** 65 cm

**Power :** Electrical (AC 220V, 50Hz)+ Battery (4 x AA Duracell)

**Dia of Inlet/ Outlet Pipe :** 1 inch

| Water Discharge (per use in litres) | 4.62 L | 6.42 L | 7.2 L |
|-------------------------------------|--------|--------|-------|



### KUF

#### AUTOMATIC URINAL

Concealed Sensor

**Operation :** Automatic Self Flush Infra-Red Sensor


**Water Output :** 0.5 L ~ 1 L / Flush  
Intelligent Technology

**Sensing Range :** 40-70cm

**Mount :** Wall

**Power :** Electrical (AC 200V, 50Hz)

| Water Discharge (per use in litres) | 0.22 L | 0.33 L | 0.40 L |
|-------------------------------------|--------|--------|--------|



# THE TOUCHLESS WONDER

## AUTOMATIC TAP



### ET18BE

#### AUTOMATIC TAP

Basin Mount

**Operation :** Automatic Infra-Red Sensor

**Inlet Water Pressure :** 0.2 - 0.6 MPA


**Sensing Range :** 09-20 cm

**Power :** Electrical (AC 220V, 50Hz) + Battery (4 x AA Size)

**Finish :** Chrome - Plated

**Warranty on Body :** 10 Years

**Warranty on Parts :** 1 Year



### ETO4BE

#### AUTOMATIC TAP

Basin Mount

**Operation :** Automatic Infra-Red Sensor


**Sensing Range :** 09-20cm

**Power :** Electrical (AC 220V, 50Hz)+ Battery (4 x AA Size)

**Finish :** Chrome - Plated

**Warranty on Body :** 10 Years

**Warranty on Parts :** 1 Year



### ETO5NWBE

#### AUTOMATIC TAP

Basin Mount


**Operation :** Automatic Infra-Red Sensor  
**Water Pressure :** 1.5 to 4.0 Bar (Min 1 bar working pressure required)

**Sensing Range:** 09 - 20 cm

**Power :** Electrical (AC 220V, 50Hz) + Battery (4 x AA Size)

**Warranty on Body :** 10 Years

**Warranty on Parts :** 1 Year



## ET08VSBE

AUTOMATIC TAP  
Basin Mount

**Operation :** Automatic Infra-Red Sensor

**Water Pressure :** 1.5 to 4.0 Bar (Min 1 bar working pressure required)

**Sensing Range :** 09 - 20 cm

**Power :** Electrical (AC 220V, 50Hz)+ Battery (4 x AA Size)

**Warranty on Body :** 10 Years

**Warranty on Parts :** 1 Year



## ET16BE

AUTOMATIC TAP  
Basin Mount

**Operation :** Automatic Infra-Red Sensor

**Inlet Water Pressure:** 0.2 - 0.6 MPA

**Sensing Range:** 09 - 20 cm

**Power :** Electrical (AC 220V, 50Hz)+ Battery (4 x AA Size)

**Warranty on Body :** 10 Years

**Warranty on Parts :** 1 Year



## ET11BE

AUTOMATIC TAP  
Basin Mount


**Operation :** Automatic Infra-Red Sensor

**Sensing Range :** 09 - 20 cm

**Power :** Electrical (AC 220V, 50Hz)+ Battery (4 x AA Size)

**Warranty on Body :** 10 Years

**Warranty on Parts :** 1 Year



## ET02HC

AUTOMATIC TAP  
(LEVER WITH HOT & COLD WATER PROVISION)  
Basin Mount

**Operation :** Automatic Infra-Red Sensor

**Power :** Electrical (AC 220V, 50Hz)

**Detecting Distance :** 09 - 20cm (Faucet)

**Finish :** Chrome-Plated

**Warranty on Body :** 10 Years

**Warranty on Parts :** 1 Year



## ET15BE

AUTOMATIC TAP  
Basin Mount

**Operation :** Automatic Infra-Red Sensor


**Inlet Water Pressure :** 1.5 to 4.0 Bar (Min 1 bar working pressure required)

**Sensing Range :** 09 - 20 cm

**Power :** Electrical (AC 220V, 50Hz)+ Battery (4 x AA Size)

**Warranty on Body :** 10 Years

**Warranty on Parts :** 1 Year



## KSDT10

Auto Tap Cum Soap Dispenser (2 IN 1)  
Basin Mount

**Operation :** Automatic Infra-Red Sensor

**Power :** Electrical (AC 220V/50Hz) + Battery (4 x AA Size)

**Liquid Volume (Soap Dispenser) :** 1500ml

**Detecting Distance :** 09-20 cm

**Inlet Water Pressure :** 1.5 to 4.0 Bar (Min 1 bar Working pressure required)

**Mechanism & Soap Refill :** Under the Counter

**Warranty on Body :** 10 Years

**Warranty on Parts :** 1 Year



## KSDT20L

AUTO TAP CUM SOAP DISPENSER (2 IN 1)  
Counter Mount

**Operation :** Automatic Infra-Red Sensor

**Power :** Electrical (AC 220V/50Hz) +  
Battery (4 x AA Size)

**Liquid Volume (Soap Dispenser) :** 1500ml

**Detecting Distance :** 09-20 cm

**Inlet Water Pressure :** 1.5 to 4.0 Bar (Min 1 bar  
Working pressure required)

**Mechanism & Soap Refill :** Under the Counter

**Warranty on Body :** 10 Years

**Warranty on Parts :** 1 Year



## ET28LBE

AUTOMATIC TAP  
Counter Mount

**Operation :** Automatic Infra-Red Sensor

**Inlet Water Pressure :** 0.2 - 0.6 MPA

**Sensing Range :** 09-20 cm

**Power :** Electrical (AC 220V, 50Hz)+  
Battery (4 x AA Size)

**Finish :** Chrome - Plated

**Warranty on Body :** 10 Years

**Warranty on Parts :** 1 Year



## ET14LBE

AUTOMATIC TAP (LONG BODY)  
Counter Mount

**Operation :** Automatic Infra-Red Sensor

**Water Pressure :** 1.5 to 4.0 Bar (Min 1  
bar working pressure required)


**Sensing Range :** 09 - 20 cm

**Power :** Electrical (AC 220V, 50Hz)+  
Battery (4 x AA Size)

**Finish :** Chrome - Plated

**Warranty on Body :** 10 Years

**Warranty on Parts :** 1 Year



## ET06L

AUTOMATIC TAP (LONG BODY)  
Counter Mount

**Operation :** Automatic Infra-Red Sensor

**Water Pressure :** 1.5 to 4.0 Bar (Min 1 bar  
working pressure required)

**Sensing Range :** 09 - 20 cm

**Power :** Electrical (AC 220V, 50Hz)

**Warranty on Body :** 10 Years

**Warranty on Parts :** 1 Year



## ET09VL

AUTOMATIC TAP (LONG BODY)  
Counter Mount

**Operation :** Automatic Infra-Red Sensor


**Water Pressure :** 1.5 to 4.0 Bar (Min 1 bar  
working pressure required)

**Sensing Range :** 09 - 20 cm

**Power :** Electrical (AC 220V, 50Hz)

**Warranty on Body :** 10 Years

**Warranty on Parts :** 1 Year



## ET12L

AUTOMATIC TAP (LONG BODY)  
Counter Mount


**Operation :** Automatic Infra-Red Sensor

**Sensing Range :** 09 - 20 cm

**Power :** Electrical (AC 220V, 50Hz)

**Warranty on Body :** 10 Years

**Warranty on Parts :** 1 Year



## KHDT15

**AUTOMATIC** HAND DRYER +  
AUTOMATIC TAP (2 IN 1)  
Counter Mount

**Rated Power** : 1350W

**Sensing Distance** : 8-12cm

**Air Speed** : 90m/s

**Waterproof** : IPX4


**Sensing type** : Infrared Sensing

**Drying Time** : 10-15 sec

**Air temperature** : 25-40°C

**Warranty on Body** : 10 Years

**Warranty on Parts** : 1 Year



## KSDT11

**Auto** Tap Cum  
Soap Dispenser (2 IN 1)  
Wall Mount

**Operation** : Automatic Infra-Red Sensor

**Water Pressure** : 0.2 - 0.6 MPA

**Sensing Range** : 08 - 12 cm

**Power** : Electrical (AC 220V/50Hz) +  
Battery (4 x AA Size)

**Warranty on Body** : 10 Years

**Warranty on Parts** : 1 Year



## ET77E

**AUTOMATIC** TAP  
Wall Mount

**Operation** : Automatic Infra-Red Sensor


**Water Pressure** : 1.0 to 4.0 Bar (Min 1 bar  
working pressure required)

**Sensing Range** : 08 - 12 cm

**Power** : Electrical (AC 220V/50Hz)

**Warranty on Body** : 10 Years

**Warranty on Parts** : 1 Year



## ET17E

**AUTOMATIC** TAP  
Wall Mount

**Operation** : Automatic Infra-Red Sensor

**Power** : Electrical (AC 220V, 50Hz)


**Inlet Water Pressure** : 0.2-0.6 MPA

**Material** : Brass

**Sensing Range** : 08 -12 cm

**Warranty on Body** : 10 Years

**Warranty on Parts** : 1 Year



## ET20

**AUTOMATIC** TAP  
Ceiling Mount

**Operation** : Automatic Infra-Red Sensor


**Inlet Water Pressure** : 1.5 to 4.0 Bar (Min  
1 bar working pressure required)

**Sensing Range** : 09 - 20 cm

**Power** : Electrical (AC 220V, 50Hz)

**Warranty on Body** : 10 Years

**Warranty on Parts** : 1 Year





# AUTOMATIC CONCEALED CISTERNS

Smart technologies from EURONICS inspire, presents automatic concealed cistern for washrooms with not only smart looks but high on utility & performance.

Full-range of designed products to offer performance & maintain hygienic environment.

Perfect products for Green Building projects.



## Long Lasting Life

Full assurance of best quality  
# 304 grade stainless steel



## Vandal Proof Body

Perfect selection of material &  
design to protect from vandalism



## Hygienic Environment

Keeps your hands  
and washroom germ free



## Must for Green buildings

lesser carbon footprint as  
compared to regular products

## EACC09A


### AUTOMATIC CONCEALED CISTERN WITH FULL FRAME

Fully Automatic

Leak Proof design

Full Flush - 6L (Can be controlled to 4L)

Half Flush - 3 L (Can be controlled to 2 L)




## ECC01FA

### MANUAL CONCEALED CISTERN WITH FULL FRAME

Leak Proof design

Full Flush - 6L (Can be controlled to 4L)

Half Flush - 3 L (Can be controlled to 2 L)




## ECC03HA

### MANUAL CONCEALED CISTERN WITH HALF FRAME

Leak Proof design

Full Flush - 6L (Can be controlled to 4L)

Half Flush - 3 L (Can be controlled to 2 L)




## ECC05NA

### MANUAL CONCEALED CISTERN FRAMELESS

Leak Proof design

Full Flush - 6L (Can be controlled to 4L)

Half Flush - 3 L (Can be controlled to 2 L)




## ECC07 P01

### FLUSH PLATE CHROME

**Material:** Chrome

**Application:** Concealed Cistern




# HEALTH FAUCET




## EHF10 HEALTH FAUCET

|                                  |                             |
|----------------------------------|-----------------------------|
| <b>Material</b>                  | : 304 Grade Stainless Steel |
| <b>Operational Pressure</b>      | : 1Bar~6Bar                 |
| <b>Mini Recommended Pressure</b> | : 1Bar                      |
| <b>Flow Rate</b>                 | : 7.3LPM@3 Bar Pressure     |
| <b>Dimension</b>                 | : 20(L) X 22(W) X 130(H)    |




## EHF20 HEALTH FAUCET

|                                  |                                          |
|----------------------------------|------------------------------------------|
| <b>Material</b>                  | : ABS Faucet + 1 Meter SS304 Tube & hook |
| <b>Operational Pressure</b>      | : 1Bar~6Bar                              |
| <b>Mini Recommended Pressure</b> | : 1Bar                                   |
| <b>Flow Rate</b>                 | : 10.5LPM@3 Bar Pressure                 |
| <b>Dimension</b>                 | : 33(L) X 33(W) X 150(H)                 |



## EHF30 HEALTH FAUCET

|                                  |                                          |
|----------------------------------|------------------------------------------|
| <b>Material</b>                  | : ABS Faucet + 1 Meter SS304 Tube & hook |
| <b>Operational Pressure</b>      | : 1Bar~6Bar                              |
| <b>Mini Recommended Pressure</b> | : 1Bar                                   |
| <b>Flow Rate</b>                 | : 11.3LPM@3 Bar Pressure                 |
| <b>Dimension</b>                 | : 33(L) X 26(W) X 140(H)                 |





PIONEERING WASHROOM  
AUTOMATION SOLUTIONS

# AUTOMATIC PAPER DISPENSERS WASTE RECEPTACLE

Smart technologies from EURONICS inspire, presents Automatic paper dispensers, holders & waste receptacle, that gives a quick & easy, professional look with a dash of utility & performance.

Sturdy built and designed to maintain hygiene, makes it the preferred choice.



## Long Lasting Life

Full assurance of best quality  
# 304 grade stainless steel



## Vandal Proof Body

Perfect selection of material & design to protect from vandalism



## Hygienic Environment

Keeps your hands and washroom germ free



## Must for Green buildings


lesser carbon footprint as compared to regular products

## EP28

### AUTOMATIC HRT

#### TISSUE PAPER ROLL DISPENSER

**Mounting :** Surface  
**Cabinet :** 304 Grade Stainless Steel  
**Operations :** Automatic Infra-Red Sensor  
**Power :** Electrical (AC 220V/50Hz)  
**Application :** Washbasin Area  
**Paper Roll Size :** Width 200mm




## EP38R

### AUTOMATIC HRT

#### TISSUE PAPER ROLL DISPENSER

#### RECESSED

**Cabinet :** 304, Stainless Steel  
**Operations :** Infrared Sensor  
**Power :** Electricity + Battery (D Size 4 pcs)  
**Application :** Washbasin Area  
**Paper Roll Size :** Width 200mm




## EP19

### AUTOMATIC HRT

#### TISSUE PAPER TOWEL DISPENSER

**Mounting :** Exposed  
**Cabinet :** ABS Plastic  
**Operations :** Infrared Sensor  
**Power :** Electricity + Battery  
**Paper Roll Size :** Width 200mm  
**Warranty :** 1 year




## EP17

### AUTOCUT HRT

#### TISSUE HAND TOWEL DISPENSER


**Mounting :** Exposed  
**Cabinet :** ABS Plastic  
**Application :** Washbasin Area  
**Paper Roll Size :** Width 200mm



## TIERRA

### PAPER DISPENSER

**Mounting :** Surface  
**Material :** 304 Grade Stainless Steel  
**Application :** Washbasin Area  
**Capacity :** 300 C-Fold/Multifold




## EP06XL

### STEEL PAPER

### TOWEL DISPENSER EXTRA-LARGE

**Mounting :** Exposed  
**Cabinet :** 304 Grade Stainless Steel  
**Application :** Washbasin Area  
**Capacity :** 750 Tissues




## EP01

### PAPER TOWEL DISPENSER

#### Wall Mount

**Mounting :** Exposed  
**Cabinet :** 304 Grade Stainless Steel  
**Application :** Washbasin Area  
**Capacity :** 500 C-fold / Multifold




## EP02

### PAPER TOWEL DISPENSER

#### Wall Mount

**Mounting :** Exposed  
**Cabinet :** 304 Grade Stainless Steel  
**Application :** Washbasin Area  
**Capacity :** 300 C-fold / Multifold



## RPD2

### RECESSED PAPER DISPENSER


**Mounting :** Recessed

**Cabinet :** 304 Grade Stainless Steel

**Finish :** Steel, Satin

**Application :** Washbasin Area Adjustable dispense length

**Capacity :** 600 C-Fold or 800 Multi Fold Paper Towel



## EP23N

### PAPER TOWEL DISPENSER


**Mounting :** Exposed

**Construction :** ABS Plastic

**Application :** Washbasin Area

**Paper Type :** C Fold / M Fold

**Capacity :** 300 - 450 Tissues




## EP33

### SMALL PAPER TOWEL DISPENSER

**Construction :** ABS Plastic

**Installation :** Wall Mounted

**Capacity :** C/M Fold, Small (300 Tissues)



## EJ01


### JUMBO ROLL TISSUE DISPENSER WALL MOUNT

**Mounting :** Exposed

**Cabinet :** 304 Grade Stainless Steel

**Application :** WC Area

**Length of Roll :** 250 - 300 Meter



## EJ44


### TWIN JUMBO ROLL TISSUE (JRT) PAPER DISPENSER WALL MOUNT

**Mounting :** Exposed

**Construction :** 304 Grade, Stainless Steel

**Application :** WC Area

**Length of Roll :** 250 - 300 mtrs



## EJ34


### JUMBO ROLL TISSUE DISPENSER WALL MOUNT

**Mounting :** Exposed

**Construction :** 304 Grade, Stainless Steel

**Application :** WC Area

**Length of Roll :** 250 - 300 mtrs



## EJ24 JRT


### JUMBO ROLL TISSUE DISPENSER

**Mounting :** Exposed

**Construction :** ABS Plastic


**Application :** WC Area

**Length of Roll :** 250 - 300 Mtrs




**EHBT01**  
HYGIENIC BATHROOM TISSUE  
DISPENSER

**Cabinet :** 304 Grade, Stainless Steel  
**Mounting :** Wall  
**Capacity :** Folded HBT Tissues




**KWR**  
WASTE RECEPTACLE

**Mounting :** Exposed  
**Construction :** 304 Grade, Stainless Steel,  
Equipped With Inside Steel Liner To  
Remove The Disposable  
**Capacity :** 16 Litres  
**Warranty :** 5 Years




**PKWR02**  
WALL MOUNTED BIN

**Material :** ABS Plastic  
**Capacity :** 32L  
**Installation :** Wall mounted &  
Floor Standing  
**Color :** White




**CWC3**  
SWING CIRCULAR WASTE RING

**Material :** 304 Grade, Stainless Steel  
**Diameter :** Outside 240mm, Inside 200mm  
**Chute Depth :** 103mm  
**Application :** Washbasin Area





**CWC10**  
SWING RECTANGULAR WASTE CHUTE  
WITH ROUNDED CORNERS

**Mounting :** Recessed  
**Material :** 304 Grade, Stainless Steel  
**Outside Width :** 260mm  
**Inside Width :** 210mm  
**Depth :** 51.5mm  
**Application :** Washbasin Area



**CWC2**  
COUNTER TOP WASTE CHUTE

**Material :** 316 Grade, Stainless Steel  
**Diameter :** Outside 161mm, Inside 140mm  
**Chute Depth :** 133mm  
**Application :** Washbasin Area




## EPH04F

### TOILET PAPER HOLDER (With Flap)

**Material :** 304 Grade Stainless Steel

**Application :** WC Cubicle Area




## EPH02

### TOILET PAPER HOLDER Wall Mount

**Material :** 18-8 S, Type-304, Stainless Steel

**Application :** WC Cubicle Area




## EPH06P

### TWIN TOILET PAPER HOLDER (With Mobile Stand)

**Material :** 304 Grade Stainless Steel

**Application :** WC Cubicle Area




## EPH07

### TOILET PAPER HOLDER (With Mobile Stand)

**Material :** 304 Grade Stainless Steel

**Application :** WC Cubicle Area




## EPH10

### TWIN TOILET PAPER HOLDER (With Mobile Stand)

**Material :** 304 Grade Stainless Steel (Satin Finish)

**Application :** WC Cubicle Area




## EPH11S

### PAPER HOLDER (With Mobile Stand)

**Material :** 304 Grade Stainless Steel (Satin Finish)

**Application :** WC Cubicle Area



### ESN03S


SANITARY NAPKIN **HYGIENE PANEL (3 IN 1)**  
Wall Mount

**Combination :** Toilet Paper Holder / Disposable Bag Dispenser / Waste Receptacle

**Material :** 304 Grade Stainless Steel

**Waste Receptacle Capacity :** 4.6 Litre  
Equipped With Full-length Stainless Steel Piano Flap

**Disposable Bags Capacity :** 50 bags



### ESN04B

SANITARY NAPKIN **HYGIENE PANEL (4 IN 1)**  
Wall Mount

**Combination :** Sanitary Napkin Dispenser / Toilet Paper Holder / Disposable Bag Dispenser / Waste Receptacle

**Material :** 304 Grade Stainless Steel

**Sanitary Napkin Capacity :** 20-25 Pcs

**Waste Receptacle Capacity :** 4.6 Litre  
Equipped With Full-length Stainless Steel Piano Flap

**Disposable Bags Capacity:** 50 bags



### SWR 03

SANITARY NAPKIN **DISPOSAL**  
Wall Mount

**Cabinet :** 304 Grade Stainless Steel

**Capacity :** 4.6 Litres, Equipped with inside Steel Liner to remove the disposable



### ESN05


SANITARY NAPKIN & **DISPOSABLE BAG DISPENSER**  
WALL MOUNT

**Combination :** Sanitary Napkin Dispenser, Disposable Bag Dispenser

**Material :** 304 Grade Stainless Steel

**Sanitary Napkin Capacity:** 20-25Pcs

**Disposable Bags Capacity :** 50 bags




### SWR5R

SANITARY NAPKIN **DISPOSAL**  
Recessed

**Cabinet :** 304 Grade Stainless Steel

**Capacity :** 4.6 Litres, Equipped with inside

**Application :** Near WC Area, to dispose sanitary pads.



### PSWB18L

**Sanitary** Waste Bin  
with Pedal

**Material :** ABS Plastic

**Capacity :** 18L

**Open :** Step on Pedal

**Color :** White






## SOAP DISPENSERS

### ES83AC

**AUTOMATIC** SOAP DISPENSER  
Wall Mount


**Operation :** Automatic Infra-Red Sensor  
**Power :** Battery (4 x AA Alkaline Duracell)  
**Material :** 304 Stainless Steel  
**Capacity :** 1000 ml  
**Installation Height :** 15-18 cm  
**Sensing Range :** 8 cm  
**Dispense Volume :** 1-2ml



### ES82AS

**AUTOMATIC** SOAP DISPENSER  
Wall Mount


**Operation :** Automatic Infra-Red Sensor  
**Power :** Battery (4 x AA Alkaline Duracell)  
**Material :** 304 Stainless Steel  
**Capacity :** 1100 ml  
**Installation Height :** 20-25 cm  
**Sensing Range :** 10 cm  
**Dispense Volume :** 1-2ml



### ES80A

**AUTOMATIC** SOAP DISPENSER  
Wall Mount - High Traffic


**Operation :** Automatic Infra-Red Sensor  
**Power :** Battery (6 x AA Alkaline Duracell)  
**Material :** 304 Stainless Steel  
**Capacity :** 700 ml  
**Installation Height :** 15-18 cm  
**Sensing Range :** 8 cm  
**Dispense Volume :** 1-2ml



### ES06N

**AUTOMATIC** SOAP DISPENSER  
Wall Mount



**Operation :** Automatic Infra-Red Sensor  
**Power :** Battery (4 x AA Alkaline Duracell)  
**Material :** ABS Casing  
**Capacity :** 1100 ml  
**Installation Height :** 15-18 cm  
**Sensing Range :** 6 cm  
**Dispense Volume :** 1-2ml



### ES66

**AUTOMATIC** SOAP DISPENSER  
Wall Mount


**Operation :** Automatic Infra-Red Sensor  
**Power :** 4 x AA (LR6) Alkaline batteries  
**Material :** ABS Casing  
**Capacity :** 1000 ml  
**Installation Height :** 20-25 cm  
**Sensing Range :** 10 cm  
**Dispense Volume :** 1-2ml



### TIERRA

**AUTOMATIC** SOAP DISPENSER

**Operation :** Automatic Infra-Red Sensor  
**Power :** Battery (4 x AA Alkaline)  
**Material :** 304 Stainless Steel  
**Capacity :** 1100 ml  
**Installation Height :** 20-25 cm  
**Sensing Range :** 10 cm  
**Dispense Volume :** 1-2ml



## ESDT10


### DIP TRAY

**Material :** Polypropylene (PP)

**Installation :** Attached to dispenser or Wall mounted

**Suitable for :** ES66/FES66

**Color :** White and Black



## KSD18

### AUTOMATIC SOAP DISPENSER Basin Mount


**Operation :** Automatic Infra-Red Sensor

**Power :** Electrical (AC 220V/50Hz)

**Material :** Brass

**Capacity :** 1000 ml

**Mechanism :** Under the Counter



## KSD14

### AUTOMATIC SOAP DISPENSER Basin Mount



**Operation :** Automatic Infra-Red Sensor

**Power :** Electrical (AC 220V/50Hz)

**Material :** Brass

**Capacity :** 1000 ml

**Mechanism :** Under the Counter



## KSD2A

### AUTOMATIC SOAP DISPENSER Basin Mount

**Operation :** Automatic Infra-Red Sensor



**Power :** Electrical (AC 220V, 50Hz)

**Capacity :** 1000 ML

**Material :** Brass

**Mechanism :** Under the counter

\*Can be supplied in Battery Operation on special request. (Battery Required - 4xD Size)



## KSD8L

### AUTOMATIC SOAP DISPENSER Counter Mount

**Operation :** Automatic Infra-Red Sensor


**Power :** Electrical (AC 220V, 50Hz)

**Capacity :** 1000 ML

**Material :** Brass

**Mechanism :** Under the Counter

\*Can be supplied in Battery Operation on special request. (Battery Required - 4xD Size)



## KSD15

### AUTOMATIC SOAP DISPENSER Basin Mount


**Operation :** Automatic Infra-Red Sensor

**Power :** Electrical (AC 220V/50Hz)

**Material :** Brass

**Capacity :** 1000 ml

**Mechanism :** Under the Counter





## KSD16

### AUTOMATIC SOAP DISPENSER

Basin Mount

**Operation :** Automatic Infra-Red Sensor  
**Power :** Electrical (AC 220V/50Hz)  
**Material :** Brass  
**Capacity :** 1000 ml  
**Mechanism :** Under the Counter





## KSD5T

### AUTOMATIC SOAP DISPENSER

Basin Counter

**Operation :** Automatic Infra-Red Sensor  
**Power :** Electrical (AC 220V, 50Hz)  
**Material :** Brass  
**Finish :** Chrome Plating  
**Capacity :** 1000 ml  
**Soap Refill & Mechanism :** Under the counter




## KSD9L

### AUTOMATIC SOAP DISPENSER

Counter Mount

**Operation :** Automatic Infra-Red Sensor  
**Power :** Electrical (AC 220V, 50Hz)  
**Material :** Brass  
**Finish :** Chrome Plating  
**Capacity :** 1000 ml  
**Soap Refill & Mechanism :** Under the counter




## KSD4W

### AUTOMATIC SOAP DISPENSER

Wall Mount

**Operation :** Automatic Infra-Red Sensor  
**Power :** Electrical (AC 220V, 50Hz)  
**Material :** Brass  
**Finish :** Chrome Plating  
**Capacity :** 1000 ml




## ES37

### MANUAL SOAP DISPENSER

Under Counter - Light Duty

**Operation :** Manual, Under Counter  
**Material :** Brass - Pump  
**Finish :** Brass - Pump (Piston, Spout and Top Cover)  
**Capacity:** 1000 ML




## KSD1

### MANUAL SOAP DISPENSER

Wall Mount - High Traffic

**Operation :** Manual  
**Container :** 304 Grade, Stainless Steel  
**Material :** Non Corrosive Steel  
**Capacity :** 400 ML




## ES09

### MANUAL SOAP DISPENSER

Wall Mount - High Traffic

**Operation :** Manual  
**Material :** 304 Grade Stainless Steel  
**Capacity :** 450 ML




## ES11

### MANUAL SOAP DISPENSER

Wall Mount - High Traffic

**Operation :** Manual  
**Material :** 304 Grade Stainless Steel  
**Capacity :** 190 ML



## ES12


### MANUAL SOAP DISPENSER Wall Mount

**Operation :** Manual

**Material :** 304 Grade Stainless Steel

**Capacity :** 450 ML

**Valve :** Brass Cylinder, Stainless



## ES04

### MANUAL SOAP DISPENSER Wall Mount - Low Traffic


**Operation :** Manual

**Container :** 304 Grade, Stainless Steel

**Material :** Non Corrosive Steel

**Capacity :** 1000 ML

**Valve :** Brass Cylinder, Stainless Steel Spring



## ES24R

### MANUAL SOAP DISPENSER Wall Mount (Recessed)


**Operation :** Manual

**Material :** 304 Grade, Stainless Steel

**Mounting :** Recessed

**Capacity :** 1000 ML

**Valve :** Brass Cylinder, Stainless Steel Spring



## ES14H

### HORIZONTAL SOAP DISPENSER Wall Mount - Medium Traffic


**Operation :** Manual

**Mounting :** Wall Mount

**Container :** 304 Grade, Stainless Steel

**Capacity :** 1250 ML

**Valve :** Brass Cylinder, Stainless Steel Spring




## ES43

### MANUAL SOAP DISPENSER Wall Mount

**Operation :** Manual

**Construction :** ABS Plastic

**Capacity :** 1000ml



## EA51


### SOAP DISPENSER Wall Mount

**Operation :** Manual

**Construction :** ABS Plastic

**Capacity :** 300 ml

**Pump Option :** Gel/Liquid



## EA52


### TWIN DISPENSER Wall Mount

**Operation :** Manual

**Construction :** ABS Plastic

**Capacity :** 300 x 2ml

**Pump Option :** Gel/Liquid



## EA53


### TRIPLE DISPENSER Wall Mount

**Operation :** Manual

**Construction :** ABS Plastic

**Capacity :** 300 x 3ml

**Pump Option :** Gel/Liquid





## BEHIND MIRROR SERIES

visit [www.euronics.co.in](http://www.euronics.co.in)


### BPD BEHIND MIRROR PAPER DISPENSER

**Mounting :** Behind Mirror

**Material :** 304 Grade Stainless Steel

**Capacity :** 600 C-fold or 800 multifold paper towels.

**Filling :** Loading from bottom



### RHD4 RECESS HAND DRYER

**Voltage :** AC220-240V

**Phase :** Single-phase

**Input :** 400W-1150W

**Wind Speed :** 100m/s


**Heating Power :** 650W

**Motor :** Brush motor

**Sensing Distance :** 9-15cm

**Protection Class :** IPX1

**Speed :** 26,000 RPM



### BSD BEHIND MIRROR SOAP DISPENSER

**Operation :** Automatic Infra-Red Sensor



**Power :** Electrical (AC 220V, 50Hz)

**Capacity :** 1000ml

**Material :** Brass with Chrome Plating

**Finish :** Mirror

**Sensing Range :** 5-15 cm






SANITIZER &  
FRAGRANCE DISPENSER

### EST83

AUTOMATIC HAND SANITIZER  
Wall Mount


**Operation :** Automatic Infra-Red Sensor  
**Power :** Battery (4 x AA Alkaline Duracell)  
**Material :** 304 Stainless Steel  
**Capacity :** 1000 ml  
**Sensing Range :** 5-9 cm  
**Dispense Volume :** 1-2ml



### EST80H

AUTOMATIC HAND SANITIZER  
Wall Mount


**Operation :** Automatic Infra-Red Sensor  
**Power :** Battery (6 x AA Alkaline Duracell)  
**Material :** 304 Stainless Steel  
**Capacity :** 700 ml  
**Sensing Range :** 5-15 cm  
**Spray Amount :** 1-2ml  
**Compound Used :** IPA Soft Gel



### EST82

AUTOMATIC HAND SANITIZER  
Wall Mount

**Operation :** Automatic Infra-Red Sensor  
**Power :** Battery (4 x AA Alkaline Duracell)  
**Material :** 304 Stainless Steel  
**Capacity :** 1100 ml  
**Sensing Range :** 5-15 cm  
**Dispense Volume :** 1-2ml




## EST81

### AUTOMATIC HAND SANITIZER

Wall Mount

**Operation :** Automatic Infra-Red Sensor  
**Power :** Battery (4 x AA Alkaline Duracell)  
**Material :** Stainless Steel #316 Grade  
**Capacity :** 1100 ml  
**Sensing Range :** 8 cm  
**Spray Amount :** 1~2ml  
**Liquid :** Isoprophyle Alcohol (IPA)




## EST02N

### AUTOMATIC HAND SANITIZER

Wall Mount

**Operation :** Automatic Infra-Red Sensor  
**Power :** Battery (4 x AA Alkaline Duracell)  
**Material :** ABS Casing  
**Capacity :** 1100 ml  
**Sensing Range :** 8 cm  
**Spray Amount :** 2ml  
**Liquid :** Isoprophyle Alcohol (IPA)




## EA66S

### FRAGRANCE DISPENSER

LCD-WITH TIMER PROGRAMMING

**Power :** Battery 2 x AA Size  
**Material :** 304 Grade Stainless Steel  
**Spray Interval :** Digital Programming (Timer)  
**Installation :** Wall Mounted




## EA55

### FRAGRANCE DISPENSER

LCD-WITH TIMER PROGRAMMING

**Power :** Battery 2 x AA Size  
**Material :** ABS Plastic  
**Spray Interval :** Digital Programming (Timer)  
**Installation :** Wall Mounted




## EA44

### FRAGRANCE DISPENSER

DIGITAL LED

**Construction :** ABS Plastic  
**Power :** Battery (2 x D Size Alkaline)  
**Spray Interval :** 7.5, 15, 30 mins  
**Option :** Day / Night / 24Hrs  
**Refill Can :** 100 ml





## NEED & SUPPORT ACCESSORIES

EURONICS inspire, offers a wide range of washroom accessories, fixtures & fittings for both normal & disabled-access usage.

All designed and made in #304 stainless steel grade, to provide durable & secure usage at demanding public amenities, facilitating easy operations and maintenance offering long lasting performance.

These are stylish, enhance the ambiance of the application area and suitable for all high traffic areas.

ACCESSORIES DESIGNED TO  
EXTEND SUPPORT & COMFORT  
EVEN TO THE CHALLENGED



**Lasts Long Life**  
Full assurance of best quality  
# 304 grade stainless steel



**Vandal Proof Body**  
Perfect selection of material & design to protect from vandalism



**Hygienic Environment**  
Keeps your hands and washroom germ free



**Must for Green buildings**  
lesser carbon footprint as compared to regular products

## EGRH10

### TOILET SAFETY RAIL

**Material :** High-Strength Solid Aluminum Alloy


**Grip :** Anti-Skid Plastic Handrail

**Installation :** No Drilling Required,  
Attaches Using Seat Bolts

**Compatible :** With All Types of Wc's

**Foldable :** 90 Degree

**Max Load Capacity :** 180 Kg



## ESGR10

### DISABLED

### GRAB BAR

**Material :** Aluminum


**Grip :** Anti Slip Grip

**Installation :** Wall Mounted

**Compatible :** With all Types of WC's

**Foldable :** 90 Degree

**Max Load Capacity :** 160 Kg



## EGR S02

### SWING DISABLED


### GRAB BAR

**Material :** 304 Grade Stainless Steel

**Diameter :** 32 mm

**Operation :** Movable

(Horizontally & Vertically)



## EGR03


### U SHAPED DISABLED

### GRAB BAR

**Material :** 304 Grade Stainless Steel

**Diameter :** 32 mm

**Finish :** Satin



## EGR5U


### URINAL SAFETY STEEL

### GRAB BAR

**Material :** 304 Grade Stainless Steel

**Finish :** Satin

**Diameter :** 32 mm




## EGR04

### L SHAPED DISABLED

### GRAB BAR

**Material :** 304 Grade Stainless Steel

**Diameter :** 32 mm



## EGR01


### STRAIGHT DISABLED

### GRAB BAR

**Material :** 304 Grade Stainless Steel

**Diameter :** 32 mm

**Sizes :** 300mm, 450mm, 600mm, 750mm,  
900mm, 1200mm



## NGR01

### STRAIGHT NYLON


### GRAB BAR

**Material :** Stainless Steel Tube Coated  
With Nylon

**Diameter :** 32 mm, 35 mm

**Sizes :** 300mm, 600mm


**Color :** Ivory, Water Resistant



## NGR05

### DISABLED GRAB BAR


**Material :** Stainless Steel Tube Coated with Nylon  
**Diameter :** 32 mm  
**Color :** Ivory



## NGR S02

### SWING NYLON GRAB BAR


**Material :** Stainless Steel Tube Coated with Nylon  
**Diameter :** 35 mm  
**Back Plate :** Stainless Steel  
**Color :** Ivory  
**Operation :** Movable (Horizontally & Vertically)



## NGR03

### U SHAPED NYLON GRAB BAR

**Material :** Stainless Steel Tube Coated with Nylon  
**Diameter :** 35 mm  
**Color :** Ivory



## NGR04

### L SHAPE NYLON GRAB BAR


**Material :** Stainless Steel Tube Coated with Nylon  
**Diameter :** 35 mm  
**Color :** Ivory, Water Resistant



## ESS10

### FOLDING SHOWER SEAT


**Material:** PP Plastic  
**Installation :** Wall Mounted  
**Foldable :** 90 Degree  
**Max Load Capacity :** 140 Kg  
**Dimensions :** 365mm (W) x 290mm (H) x 285mm (D)



## ESS20

### FOLDING SHOWER SEAT


**Material:** Insulated Stainless Steel  
**Installation :** Wall Mounted  
**Space Saver :** Wall Hung Retractable  
**Foldable :** 90 Degree  
**Max Load Capacity :** 200 Kg  
**Dimensions :** 360mm (W) x 175mm (H) x 298mm (D)



## EDS01

### DISABLED FOLDING SHOWER SEAT


**Material :** 18-8 S, Type-304, Stainless Steel  
**Sizes :** 457mm x 371 mm  
**Color :** Ivory, Water Resistant



## EPGR31

### GRAB BAR WITH PADDED REST SEAT

**Material :** 304 Grade Stainless Steel  
**Finish :** Satin Hand Rail with Padded Rest Seat





## BABY DIAPER CHANGING STATION NUTURING PARENTHOOD

visit [www.euronics.co.in](http://www.euronics.co.in)

### EDC4R

#### STAINLESS STEEL BABY DIAPER CHANGING STATION (RECESS)

**Material :** Stainless Steel #304, Satin Finish


**Unit Dimensions :** W-940 mm x H-585 mm

**Depth (Closed) :** 104 mm

**Extension (Open) :** 495mm

**Maximum Load :** 25 Kgs

**\*Equipped With Safety Belt To Secure  
Baby When Changing Diapers**



### EDC3S

#### STAINLESS STEEL BABY DIAPER CHANGING STATION

**Material :** Stainless Steel #304, Satin Finish


**Unit Dimensions :** W-905 mm x H-520 mm

**Depth (Closed) :** 104 mm

**Extension (Open) :** 495mm

**Maximum Load :** 25 Kgs

**\*Equipped With Safety Belt To Secure  
Baby When Changing Diapers**



## EDC1

### BABY DIAPER CHANGING STATION


**Material :** High Quality HDPE

**Unit Dimensions :** W-823 mm x H-457 mm

**Depth (Open) :** 470 mm

**Maximum Load :** 25 Kgs

**\*Equipped With Safety Belt To Secure Baby When Changing Diapers**



## EDC5W

### BABY PROTECTION SEAT

**Material :** ABS


**Dimensions (Open) :** 290 x 665 x 305mm

**Dimensions (Closed) :** 290 x 665 x 90mm

**Net Weight :** 5.5 Kgs

**Color :** Grey

**\*Equipped With Safety Belt To Secure Baby When Changing Diapers**



## EDC6V

### BABY DIAPER CHANGING STATION

**Material :** High Quality HDPE

**Dimensions (Open) :** W-480 mm x H-870 x L-885 mm

**Dimensions (Closed) :** W-480 mm x H-870 x L-126 mm

**Maximum Load :** 50 Kgs

**\*Equipped With Safety Belt To Secure Baby When Changing Diapers**

